

SECURITY CAMERAS

DIRECT

CAT133

***Who Has An Eye On
Your Investment?***

**115%
Lowest Price
Guarantee**

Price match plus
15% of the difference on
any identical product

**H.264 DVR
4 Camera Combo**

**Now
Only \$449**

**Call Now
Limited Availability!
Includes 250GB
Hard Drive**



Sold Separately

~~\$635~~

VISIT OUR WEBSITE AT

WWW.SCDLINK.COM

OR CALL US TOLL FREE AT 800.316.6027

115% Lowest Price Guarantee

If you find an identical product at a lower price anywhere in the Continental U.S. within 30 days of purchase, just show us the printed ad or Web site advertisement with the competitor's price and we'll match that competitor's price plus 15% of the difference. For more details, please visit www.scdlink.com.

(Offer excludes shipping, handling and tax charges)

Why Buy Direct? It's as easy as 1-2-3...

1. We carefully select the **WORLD'S BEST PRODUCTS**
2. We buy at **HUGE VOLUME DISCOUNTS**
3. Dealer Direct **WHOLESALE PRICES**


**115%
Lowest Price
Guarantee**
Price match plus
15% of the difference on
any identical product

New Amazing Find!

550 Lines Easy Install Mini Dome Camera

With Convenient External Tilt Adjustment!

- ◆ 550 Lines of Resolution
- ◆ 3.6mm Fixed lens
- ◆ External Pan/Tilt Adjustment
- ◆ 12VDC @ 250mA
- ◆ Low 0.1 Lux @ F2.0 Rating
- ◆ Built-in AWB, AGC, & Electronic Shutter
- ◆ Quick and Easy Install



External Tilt Adjustment



**550 LOR Mini Dome Camera
CDC3062ST \$119**

All You Need! Complete 4 Ch H.264 Package

View Your DVR From The Internet!

Includes:

- 4-CDC3115IR 420 Line
- 1-DVR4060N250 H.264
- 4-25' Video/Power Cable
- 4-Power Supplies
- 1-17" LCD

**Only
\$799**



[2]

**SECURITY CAMERAS
DIRECT**

WWW.SCDLINK.COM • 1-800-316-6027



Call Today FREE Technical Support

Let us answer all your questions.
We can solve your security needs
with custom CCTV solutions and
dedicated Technical Support.

1-800-316-6027

New Technology!

4 Channel H.264 Networkable DVR

Increase Recording Time Without Reducing Video Quality

- ◆ H.264 Real-Time Recording
- ◆ 352 x 240 120FPS to 704 x 480 30FPS
- ◆ Video Motion Detection w/ 16 x 12 Grid
- ◆ Alarm Inputs & Output
- ◆ VGA & BNC Monitor Outputs
- ◆ Quick Search Date/Time, Alarm & List
- ◆ Auto E-mail of Alarm Events
- ◆ 2X Digital Zoom Live & Playback
- ◆ USB 2.0 or Network Offload
- ◆ RS-485 PELCO-D/P Protocol



- 4 Ch H.264 Networkable DVR
- 4 Ch H.264 Networkable DVR w/250GB
- 4 Ch H.264 Networkable DVR w/500GB
- 4 Ch H.264 Networkable DVR w/750GB
- 4 Ch H.264 Networkable DVR w/1TB

- DVR4060N **\$279**
- DVR4060N250 **\$399**
- DVR4060N500 **\$549**
- DVR4060N750 **\$689**
- DVR4060N1TB **\$819**


Great Value! Color IR Bullet Cameras

IP66 Weatherproof Rating

- ◆ 420 LOR Day/Night Resolution
- ◆ 1/4" Sharp CCD
- ◆ 0.0 Lux Rating
- ◆ 3.6mm Lens (CFC6042IR)
- ◆ 6mm (IR2/IR3)
- ◆ Automatic AWB, AGC & Shutter
- ◆ Weatherproof IP66 Metal Case
- ◆ Sturdy Metal Mounting Bracket
- ◆ 12VDC @ 300mA (CFC6042IR)
- ◆ 12VDC @ 600mA (CFC6042IR2)
- ◆ 12VDC @ 700mA (CFC6042IR3)



- 420 LOR 65' IR Weatherproof Camera **CFC6042IR \$79**
- 420 LOR 130' IR Weatherproof Camera **CFC6042IR2 \$89**
- 420 LOR 165' IR Weatherproof Camera **CFC6042IR3 \$109**



CALL 830-401-7000 • FAX 830-875-9010

SECURITY CAMERAS
DIRECT

[3]

Complete Indoor/Outdoor H.264 Package

Complete 4 Camera Package

Only **\$799**

Complete 8 Camera Package

Only **\$1299**

Complete 16 Camera Package

Only **\$2099**

Upgrade to High Res *add \$39* Per Camera

Upgrade to Varifocal *add \$69* Per Camera

Upgrade to High Res 4-9mm *add \$89* Per Camera

Upgrade to 500GB Hard Drive *add \$150*

Includes:

4, 8 or 16-CDC3115IR 420 Line

H.264 DVR w/250GB Hard Drive

25' Video/Power Cables

Power Supplies

17" LCD Monitor



Complete CCTV Systems

Complete Indoor/Outdoor H.264 Package With DVD Burner

Complete 4 Camera Package

Only **\$1149**

Complete 8 Camera Package

Only **\$1599**

Complete 16 Camera Package

Only **\$2599**

Upgrade to High Res *add \$39* Per Camera

Upgrade to Varifocal *add \$69* Per Camera

Upgrade to High Res 4-9mm *add \$89* Per Camera

Upgrade to 500GB Hard Drive *add \$150*

Includes:

4, 8 or 16-CDC3115IR

H.264 DVR w/250GB Hard Drive

25' Video/Power Cables

Power Supplies

17" LCD Monitor



[4]

SECURITY CAMERAS
DIRECT

WWW.SCDLINK.COM • 1-800-316-6027

4 Indoor Camera H.264 DVR System

4-CDC3008ST 420 LOR Color Domes PDC4060DM
 4-CDC3062ST 550 LOR Color Domes PDC4060HR
 4 Camera H.264 DVR w/250GB
 17" LCD Monitor
 Power Supplies Included
 25' Video/Power Cables

Upgrade 500GB Hard Drive *add \$150*

4 Camera PDC4060DM	4 Camera PDC4060HR
\$699	\$859



Indoor H.264 Networkable DVR Systems



4, 8 or 16-CPC4002 420 LOR Color Cameras
 H.264 Network DVR w/ 250GB
 17" LCD Monitor
 4, 8 or 16-Varifocal 3-8mm Lenses
 Multi Camera Power Supply
 4, 8 or 16-Mounting Brackets
 500' Box RG59 w/18AWG Zip Wire (4 Cam)
 1000' Box RG59 w/18AWG Zip Wire (8 & 16 Cam)
 Twist-on BNC Connectors

Upgrade 500GB Hard Drive *add \$150*
 Upgrade To High Res *add \$20 Per Camera*

4 Camera PDC4054	8 Camera PDC8054	16 Camera PDC1654
\$1299	\$1899	\$3199

Custom Build a Kit

Call For Pricing Today

CALL 830-401-7000 • FAX 830-875-9010

SECURITY CAMERAS
DIRECT

[5]

Professional Cameras W/Audio

0.6 Low Light Lux w/ 12/24-Volt Power

- ◆ 2.4"W x 2"H x 4.6"L
- ◆ C/CS Lens Adapter
- ◆ Power 12VDC/24VAC
- ◆ 420 LOR Sony CCD (CPC4054)
- ◆ 510 LOR Sony CCD-1 (CPC4055)
- ◆ Automatic Electronic Shutter
- ◆ Automatic Gain Control & BLC
- ◆ Polarity-Sensing Power Board
- ◆ Built-in Preamp Audio Microphone
- ◆ Supports DC or Video Auto-Iris Lens
- ◆ Lens Not Included



420 LOR CCTV Camera CPC4054 \$79
510 LOR CCTV Camera CPC4055 \$99



CPC4054



CPC4055

Value-Priced Color

Professional Quality



- ◆ Stunning 420 LOR Sharp CCD
- ◆ Low 1.0 Lux Low-Light Ability @ F1.2
- ◆ Automatic/Switchable Gain Control & BLC
- ◆ Selectable Mirror Control
- ◆ Supports DC or Video Auto-Iris Lens
- ◆ Automatic Electronic Shutter
- ◆ Signal-to-Noise Ratio 48dB
- ◆ Lens Not Included



Color 12-Volt 420 LOR CCTV Camera CPC4017DC \$44

Professional Camera 420 Lines of Resolution

1.0 Lux @ F2.0

- ◆ 420 Lines of Resolution
- ◆ 1 Lux @ F2.0 Rating
- ◆ Built-in Electronic Shutter
- ◆ Video or DC Iris Selectable
- ◆ Built-in Preamp Audio
- ◆ Built-in Auto-Iris & White Balance
- ◆ Signal-to-Noise 48dB
- ◆ 12-Volt DC @ 120 mA
- ◆ 2.4"W x 1.9"H x 4.25"L Size
- ◆ Lens Not Included



12-Volt DC 420 LOR Camera CPC4002DC \$49

Professional CCTV

Super High-Resolution Cameras

Dual Voltage 12/24-Volt & Line Lock

- ◆ 600 or 550 LOR
- ◆ 0.5 Lux (C600)
- ◆ 0.01 Lux (550DN)
- ◆ Accepts DC Iris Lens
- ◆ BLC and AGC
- ◆ Auto White Balance
- ◆ Line Lock Sync
- ◆ Dual Voltage
- ◆ 2.5"W x 2"H x 4.5" Size
- ◆ Lens Not Included



Dual Voltage 550 LOR D/N Camera C550DN \$169
Dual Voltage 600 LOR Camera C600 \$159
Dual Voltage 600 LOR D/N Camera C600DN \$199
550 LOR D/N ExView Camera CX550DN \$229

[6]

SECURITY CAMERAS
DIRECT

2000-Foot UTP Cameras

Send Video Over Twisted Pair Wire

- ◆ 420 LOR Sony 1/3" CCD (CPC4056)
- ◆ 550 LOR Sony CCD (CPC4057)
- ◆ Auto Gain Control
- ◆ Size 2.36"W x 1.97"H x 4.33"L
- ◆ Very Low 0.01 Lux @ F1.2 Rating
- ◆ Auto-Sensing Dual-Voltage Polarity
- ◆ User-Selectable Mirror Function
- ◆ AES and Video/DC Iris Control
- ◆ 2000' UTP Transmission Range
- ◆ Built-in High Gain Audio Preamp Microphone
- ◆ Advanced Pure Vision Technology Enhancement
- ◆ Lens Not Included



420 LOR UTP Pro Camera CPC4056UTP \$109
420 LOR UTP D/N Pro Camera CPC4056DN \$129
550 LOR UTP D/N Pro Camera CPC4057DN \$169

WWW.SCDLINK.COM • 1-800-316-6027

560 LOR High-Res WDR Camera

560/700 Lines Day/Night Wide Dynamic Range w/ Masking

- ◆ RS-485 Pelco-D Protocol
- ◆ 12VDC or 24VAC 220mA
- ◆ Uses DC Auto-Iris Lens
- ◆ 560LOR Color
- ◆ 700LOR B&W WDR
- ◆ 0.001 Lux in Color
- ◆ 0.0004 Lux in B&W F1.2
- ◆ 1/3" Sony Double Scan CCD SSIII-WD
- ◆ Built-in DNR, OSD & Sens-up 250X
- ◆ Electronic Shutter 1/60-1/120,000
- ◆ Lens Not Included



Color 560/700 WDR D/N Camera
CPC4040WD \$219

Color Sony ExView™ 0.01 Lux CCTV Camera

View Objects in Extreme Low Light Conditions

- ◆ 480 Lines of Resolution
- ◆ 0.01 Lux Light Rating @ F2.0
- ◆ Uses Video or Direct Auto-Iris Lens
- ◆ Automatic Backlight Compensation
- ◆ Automatic Gain Control & AWB
- ◆ 1.5"W x 1.5"H x 2"L
- ◆ Power 12-Volt DC @ 130mA
- ◆ Lens Not Included



Color 480 LOR ExView™ CCTV Camera
CPC4052EX \$129

High-Res Day/Night Camera

Ultra Low Light 0.002 Lux Rating & DNR Chipset

- ◆ 540 LOR
- ◆ Digital Noise Reduction
- ◆ Sony Super HAD Chipset
- ◆ 0.002 Low Light Lux Rating with Sensor On
- ◆ On-Screen Display for Fast and Easy Setup
- ◆ RS-485 Controlled for Remote Operation
- ◆ Auto-Sensing 12VDC Power @ 350mA
- ◆ Sleek and Compact 2.8"W x 2.8"H x 3.8"L
- ◆ Lens Not Included



540 LOR Day/Night Camera
CPC4020DN \$189

560 LOR License Plate Camera

Built-in HSBLC & Digitized Masking

- ◆ 560 LOR
- ◆ 0.0001 Lux @ F1.3
- ◆ 1/3" Sony Super HAD CCD (ICX408AK)
- ◆ Built-in Headlight Suppression BLC (HSBLC)
- ◆ Built-in OSD, Digital WDR w/ Sens-up 128X
- ◆ Digital Pan, Tilt, Zoom (256X) & DNR
- ◆ RS-485 Protocol for OSD Adjustments
- ◆ 12VDC or 24VAC 220mA Dual Voltage
- ◆ Lens Not Included



560 LOR License Plate Camera
CPC4060LP \$189



CALL 830-401-7000 • FAX 830-875-9010

SECURITY CAMERAS
DIRECT

[7]

Wireless Transmission Systems

Send Video 450 - 700 Feet

WLS5800 Series

- ◆ Transmits up to 450 Feet
- ◆ Uncrowded 5.8GHz Transmission Band
- ◆ Seven User-Selectable Channels
- ◆ Wireless Remote Control
- ◆ Built-in Infrared Remote Control Extender
- ◆ Includes A/V Cables and Power Supplies

WLS2404 Series

- ◆ 4 Channel 2.4 GHz FCC-Approved Part-15
- ◆ Longest Low-Cost 700' Range Available
- ◆ Transmitter 2.5"H x 2.5"W x 0.7"D
- ◆ Receiver Only 6.1"L x 3.1"W x 1.6"H
- ◆ 12VDC 300 mA Power Draw
- ◆ Includes Power Adapters & A/V Cables

5.8GHz 450' Transmission System

5.8GHz 450' Weatherproof Transmission System

Mini 2.4GHz 700' A/V System

Mini 2.4GHz 700' Weatherproof A/V System



WLS5800WP/WLS2404WP



High-Powered Part-90 Weatherproof TX/RX

Send Video up to 15 Miles!



- ◆ 15-Mile Line of Sight Range
- ◆ FCC Part-90 Approved ID NH5-FWTX1W
- ◆ NEMA 4 Weatherproof Housing
- ◆ Single-Channel 6dB Receiver
- ◆ Transmitter Power 12VDC @ 135mA
- ◆ Includes Receiver, 2 Power Supplies, Cables & Antennas

Weatherproof 2.4GHz 15-Mile TX/RX

WLS2420WP \$499

WLS5800 \$159

WLS5800WP \$349

WLS2404 \$119

WLS2404WP \$289

Mini Wireless 2.4GHz System

The WLS1201C Is a Tiny 1" Square

- ◆ 2.4GHz 200mW Output 500' LOS
- ◆ 380 Lines of Resolution Color CMOS
- ◆ 1 Lux @ F1.2 48dB S/N Ratio
- ◆ Small 1" D x 1" L
- ◆ 9 VDC @ 70 mA Power Usage



Mini Wireless 2.4GHz Camera

WLS1201C \$99

Weatherproof IR Color Camera

View & Send Video up to 500'

- ◆ 2.4GHz 200mW Output
- ◆ Transmits Video up to 500'
- ◆ 380 Lines of Resolution
- ◆ 1/3" CMOS Image Sensor
- ◆ Power 12VDC @ 450 mA
- ◆ 0.0 Lux with 10 IR LEDs
- ◆ 10 IRs With 20' Range
- ◆ Includes Weatherproof Color Camera & Receiver
- ◆ Includes Power Adapter & Whip Antenna



4-Channel Weatherproof Wireless IR Camera

WLS1202IR \$129

Wireless

Color 2.4 GHz Baby Camera

Keep An Eye On Your Loved Ones!

- ◆ 330 Lines of Resolution Color CMOS
- ◆ 3 Lux @ F1.8 & 46dB S/N Ratio
- ◆ 4 Channel 2.4GHz 300' Range
- ◆ Receiver/Monitor Can be Battery Powered
- ◆ Monitor Runs on 4 AA Alkaline Batteries
- ◆ Camera Includes Mounting Bracket



Color 2.4 GHz Baby Camera


WLS2407C \$139

[8]

SECURITY CAMERAS
DIRECT

High-Powered 900 MHz Transmitter

Send a Clear Video/Audio Signal Over 3000'



- ◆ 500mW Output 2-Mile Range (TRX9002)
- ◆ Small 2.36" x 1" x 0.31" Size (TRX9002)
- ◆ 1000 mW Output Power (TRX9005)
- ◆ Phase Lock Loop Designed TX & RX
- ◆ 2.3"W x 2.3"D x 1.4"H TX Size (TRX9005)
- ◆ Receiver Has Built-in Auto Switcher
- ◆ Power 12VDC @ 500mA

900 MHz 1000mW Transmitter

900 MHz 4 Channel Receiver

900 MHz 2 Mi A/V Transmitter / Antenna

900 MHz Whip Antenna

12VDC 500mA Power Supply

TRX9005 \$159

REC9003 \$89

TRX9002 \$89

ANT0901 \$15

PWR0500DC \$9

WWW.SCDLINK.COM • 1-800-316-6027

High-Grade Lenses

CS-Mount High-Quality Optics

- ◆ F1.4 Aperture
- ◆ Varifocal Manual & Auto-Iris Lens
- ◆ Rugged All-Metal Construction
- ◆ CS Mount Works with Most CCTV Cameras
- ◆ Made for 1/3" Format CCD Cameras



3.5-8mm Varifocal Manual Iris Lens	VL358MI	\$35
2.8-12mm Varifocal Manual Iris Lens	VL2812MI	\$49
3.5-8mm Varifocal Auto-Iris Lens	VL358AI	\$56
2.8-12mm Varifocal Auto-Iris Lens	VL2812AI	\$69
5-50mm Varifocal Manual Iris Lens	VL550MI	\$85
5-100mm Varifocal Manual Iris Lens	VL5100MI	\$109
5-50mm Varifocal Auto-Iris Lens	VL550AI	\$109
5-100mm Varifocal Auto-Iris Lens	VL5100AI	\$135

High-Quality Aspherical Lenses

Perfect for Day/Night or WDR Cameras

VL308AS

- ◆ 3-8mm Focal Length 1/3" Format
- ◆ Aperture F1.0:360
- ◆ DC Auto-Iris 4 Pin
- ◆ Made for 1/3" Format CS-Mount Cameras



VL308AS

VL5100AS

- ◆ 5-100mm Focal Length 1/3" Format
- ◆ Aperture F1.6:360
- ◆ DC Auto-Iris 4 Pin
- ◆ Made for 1/3" Format CS-Mount Cameras



VL5100AS

3-8mm Aspherical Lens	VL308AS	\$49
5-100mm Aspherical Lens	VL5100AS	\$129

Varifocal Auto-Iris Lenses

Get a Crisp, Clear Picture in Any Light

LNS0358AI

- ◆ DC Auto-Iris Lenses
- ◆ 97° to 42° Field of View
- ◆ F1.4 Aperture
- ◆ 1/3" Format CS-Mount Cameras



LNS0358AI

LNS0550AI

- ◆ DC Auto-Iris Lenses
- ◆ 63° to 6.9° Field of View
- ◆ F1.7 Aperture
- ◆ 1/3" Format CS-Mount Cameras



LNS0550AI

3.5-8mm Auto-Iris Varifocal Lens	LNS0358AI	\$39
5-50mm Auto-Iris Varifocal Lens	LNS0550AI	\$89

Varifocal Manual Iris Lenses

Quickly Bring Your Picture into Sight

LNS0358

- ◆ Varifocal & All-Glass Elements
- ◆ F1.4 Aperture
- ◆ 95° - 44° Adjustable View
- ◆ Works on All CS-Mount CCTV Cameras
- ◆ User-Adjustable Manual Iris
- ◆ Made for 1/3" Format Cameras



LNS0550

- ◆ Varifocal & All-Glass Elements
- ◆ F1.4 Aperture
- ◆ 63° - 6.9° Adjustable View
- ◆ Works on All CS-Mount CCTV Cameras
- ◆ User-Adjustable Manual Iris
- ◆ Made for 1/3" Format Cameras

3.5-8mm Varifocal Lens	LNS0358	\$28
5-50mm Varifocal Lens	LNS0550	\$75

Lenses

2.8-12mm Lenses

Low-Cost Maximum Usability

LNS2812AI

- ◆ 2.8-12mm Varifocal Lens
- ◆ DC Auto-Iris 1.4-360
- ◆ 104° to 36° Varifocal Field of View
- ◆ Low F1.4 Rating
- ◆ 7.8-17mm Back Focal Length

LNS2812

- ◆ 2.8-12mm Varifocal Lens
- ◆ 104° to 36° Varifocal Field of View
- ◆ Low F1.4 Rating
- ◆ 7.8-17mm Back Focal Length
- ◆ Made for 1/3" Format CS-Mount Cameras



2.8-12mm Manual Iris Varifocal Lens	LNS2812	\$44
2.8-12mm DC Auto-Iris Varifocal Lens	LNS2812AI	\$65

Video-Driven Varifocal Lens

Professional-Quality Optics

- ◆ Video Auto-Iris Lenses 4-Pin Connector
- ◆ Made for 1/3" Format CS-Mount Cameras
- ◆ 6-15mm Video-Driven Varifocal Lens

6-15mm Video-Driven Varifocal Lens

LNS0615VD \$55



IR Day/Night Lens

Perfect for Use with IR

- ◆ Auto-Iris DC Driven
- ◆ 34°-83° Field of View
- ◆ F1/1.4 IR Enhancing Aperture
- ◆ Made for 1/3" Format CCD Cameras



3.3-8mm Auto-Iris IR Lens	LNS0338IR	\$49
---------------------------	-----------	------

CALL 830-401-7000 • FAX 830-875-9010

SECURITY CAMERAS
DIRECT

[9]

Pro-Grade Varifocal Day/Night Vandal Domes

Dependable Performance with Professional Results

- ◆ 460 or 560 Lines of Resolution
- ◆ True Day/Night Operation
- ◆ 90° IR Range (IR Models)
- ◆ 2.8-10.5mm Auto-Iris Lens
- ◆ 3.7-12mm Auto-Iris Lens (IR Models)
- ◆ Aspherical, IR Lenses w/IR Cut Filters
- ◆ Surface or Flush Mount Design
- ◆ On Screen Display (560 Models)
- ◆ Dual Voltage Power
- ◆ Cable-Concealed Wall Mount (Not Included)



C460VPPRO - Flushmount



C560VPPRO - Surface Mount



C460VPIRPRO - With Optional Wall Mount



C560VPIRPRO - Surface Mount



Varifocal Day/Night Vandal Domes
High-Resolution Varifocal Day/Night Vandal Domes
Varifocal IR Vandal Domes
High-Resolution Varifocal IR Vandal Domes
Cable-Concealed Wall Mount

C460VPPRO \$209
C560VPPRO \$269
C460VPIRPRO \$269
C560VPIRPRO \$329
VPPROWMT \$49

Dome Cameras

Ceiling Mount Wedge Cameras

Heavy-Duty Weatherproof/Vandalproof Case

- ◆ Color 420 LOR or 550 Sony CCD
- ◆ 0.1 Low Light Lux @ F2.0
- ◆ Size 2.4" W x 2.2" H x 3.3" L
- ◆ Wide-Angle 120° Field of View Lens
- ◆ 8 Infrared LEDs w/30' Nighttime Range
- ◆ Tough IP67 Rated Die-Cast Aluminum Housing
- ◆ Power 12 VDC @ Only 475mA



Color 420 LOR Ceiling Mount Wedge Camera
CVP1012WA \$159
Color 550 LOR Ceiling Mount Wedge Camera
CVP1012WA2 \$179

Hidden Ceiling Mount Camera

Mounts in a Standard 3-Inch Opening

- ◆ 420 LOR Sony CCD (HW)
- ◆ 520 LOR Sony HQ1 CCD (HW2)
- ◆ Fits into a 3" Opening w/ 2 Spring-Loaded Clips
- ◆ Low 0.2 Lux @ F1.2 Rating
- ◆ 3.6mm 72° Field of View Lens
- ◆ AGC, White Balance & BLC
- ◆ Power 12VDC @ 100 mA



420 LOR Ceiling Camera CVC1161HW \$99
520 LOR Ceiling Camera CVC1161HW2 \$139

IR D/N Corner Mount Camera

Perfect for Elevator Surveillance Locations

- ◆ Stunning 480 LOR 1/3" CCD
- ◆ 30 IR LEDs with 30-Foot Range
- ◆ 2.3mm 160° Field of View Mini Lens
- ◆ Low 0.5 Lux Low-Light Ability @ F1.4
- ◆ Automatic Shutter & White Balance
- ◆ Tamperproof Security Screws
- ◆ Powered by 12-Volt DC @ 300 mA
- ◆ Size Is 7.48"W x 1.66"H x 5.5"L



Day/Night Corner Mount Camera
CVP1005IR \$149

Surface & Flush-Mount Vandal Dome

Day/Night Weatherproof Mini Dome

- ◆ 420 Color / 460 B&W (C420MDVPDN)
- ◆ 550 Color / 590 B&W (C550MDVPDN)
- ◆ 3.25" Dia. Surface or Flush Mounting
- ◆ 0.1 Lux Rating
- ◆ 3.6mm Fixed Lens
- ◆ 3-Axis Ball Adjustment
- ◆ 12 Volts DC @ 150mA
- ◆ 1/3" Color Sony Super HAD CCD
- ◆ Weatherproof IP66 Rated Housing



Color 420 LOR Vandal Dome C420MDVPDN \$129
Color 550 LOR Vandal Dome C550MDVPDN \$159

[1 □]

SECURITY CAMERAS
DIRECT

WWW.SCDLINK.COM • 1-800-316-6027

550 Lines of Resolution Easy Install Mini Dome Camera

With Convenient External Tilt Adjustment!

- ◆ 550 Lines of Resolution
- ◆ 3.6mm Fixed lens
- ◆ External Pan/Tilt Adjustment
- ◆ 12VDC @ 250mA
- ◆ Low 0.1 Lux @ F2.0 Rating
- ◆ Built-in AWB, AGC, & Electronic Shutter
- ◆ Quick and Easy Install



External Tilt Adjustment



550 LOR Mini Dome Camera
CDC3062ST \$119

Compact Dome Camera

Low-Profile Dome Keeps a Clean Look for Your Office/Store

- ◆ 420 Lines of Resolution
- ◆ Sharp 1/3" CCD
- ◆ 1 Lux (Color) or 0.18 Lux (B/W)
- ◆ 1/60 to 1/100,000 Auto Shutter
- ◆ 3.6mm 78° FOV Mini Lens
- ◆ Automatic White Balance & AGC
- ◆ Small 4.33" Diameter x 3" Tall
- ◆ One-Button Dome Release
- ◆ Power 12-Volt DC @ 150mA



Color 420 LOR Low Profile Dome Camera
CDC3008ST \$39

Color Micro Dome Camera

High Resolution!

- ◆ 480 Lines of Resolution
- ◆ Low 0.1 Lux @ F2.0 Rating
- ◆ Built-in AWB, AGC, & Electronic Shutter
- ◆ 3.6mm 72° Field of View Lens
- ◆ Small 2.8" Diameter x 2.1" High
- ◆ EZ-Connect Cables Included
- ◆ 12-Volt @ 100mA Operation



480 LOR Micro Dome Camera **CDC3019HR \$109**

Wide-Angle 120° Flush Mount Dome

1.7mm Mini Lens 420 Lines of Resolution UFO Style

- ◆ 420 LOR 1/3" Sony CCD
- ◆ 0.5 Lux Light Rating @ F1.4
- ◆ Wide-Angle 1.7mm 120° FOV
- ◆ High-Speed Electronic Shutter
- ◆ Automatic Gain Control
- ◆ 3" Diameter x 2.5" Depth
- ◆ Power 12VDC @ 100 mA
- ◆ Fast and Easy Flush Mounting
- ◆ Ball-Style Camera Head
- ◆ Automatic Backlight Compensation



Color 420 LOR 120° Dome Camera
CDC3018WA \$119

Wall Mount Vandal IR Camera

Day/Night IR Camera

- ◆ 420 LOR 1/3" Sony CCD
- ◆ Low 0.0 Lux @ F 1.2 Light Rating
- ◆ 6mm Fixed Lens
- ◆ 24 IR LED Lights
- ◆ 12VDC @ 400mA
- ◆ Size Is 4.80"W x 3.8"H x 3.5"D



Color Weather/Vandalproof Wall Camera
CVP10061R \$109

CALL 830-401-7000 • FAX 830-875-9010

SECURITY CAMERAS
DIRECT

[1 1]

IR Magnetic Vandal Dome Camera **Ultra Compact Vandalproof Domes**

Easiest Camera to Aim Ever!!



- ◆ 550 LOR Sony CCD
- ◆ Magnetic Ball-Turret
- ◆ 55' IR Nighttime Range
- ◆ 0.0 Low Lux Rating with IR LEDs
- ◆ 10 High-Output 30-Degree IR LEDs
- ◆ 3.3-12mm Auto-Iris Varifocal Lens
- ◆ Power 12 VDC or 24 VAC Operation



550 LOR Ball Vandal Dome Camera
CDC3060IR \$249

- ◆ 480 LOR 1/3" Sony Super HAD CCD (VF & HR)
- ◆ 420 LOR 1/3" Sony HAD CCD (ST)
- ◆ Low 0.5 Lux @ F1.4 Rating
- ◆ 4-9mm Auto DC Iris Lens (CDC3048VF)
- ◆ Wide-Angle 3.6mm Lens (HR & ST)
- ◆ Compact 4.17"D x 2.95"H
- ◆ Power 12VDC @ 300mA
- ◆ Rugged Vandalproof Case



480 LOR 4-9mm Vandal Dome CDC3048VF \$149
480 LOR 3.6mm Vandal Dome CDC3048HR \$129
420 LOR 3.6mm Vandal Dome CDC3048ST \$119

Color Vandal Domes

Dual Voltage 12VDC/24VAC

- ◆ 450 LOR Sony HAD 0.5 Lux
- ◆ 600 LOR Sony CCD 0.5 Lux
- ◆ 550 LOR Sony ExView™ 0.03 Lux
- ◆ All D/N Units Have IR Cut Filter
- ◆ Size Is Only 5"D x 3.7"H
- ◆ 3-Axis Bracket for Wall or Ceiling
- ◆ 4-9mm or 2.6-6mm Varifocal Lens
- ◆ 12VDC or 24VAC Power



450 4-9mm White	CDC3053VF	\$199
600 4-9mm White	CDC3053VF2	\$229
550 ExView 4-9mm White	CDC3053EX	\$259
450 2.6-6mm White	CDC3054VF	\$209
600 2.6-6mm White	CDC3054VF2	\$239
550 ExView 2.6-6mm White	CDC3054EX	\$269

Color Vandal Domes

Dual Voltage 12VDC/24VAC

- ◆ 450 LOR Sony HAD 0.5 Lux
- ◆ 600 LOR Sony CCD 0.5 Lux
- ◆ 550 LOR Sony ExView™ 0.03 Lux
- ◆ All D/N Units Have IR Cut Filter
- ◆ Size Is Only 5"D x 3.7"H
- ◆ 3-Axis Bracket for Wall or Ceiling
- ◆ 4-9mm or 2.6-6mm Varifocal Lens
- ◆ 12VDC or 24VAC Power



450 D/N 4-9mm Black	CDC3055DN	\$199
600 D/N 4-9mm Black	CDC3055DN2	\$229
550 ExView 4-9mm Black	CDC3055EX	\$259
450 D/N 2.6-6mm Black	CDC3056DN	\$209
600 D/N 2.6-6mm Black	CDC3056DN2	\$239
550 ExView 2.6-6mm Black	CDC3056EX	\$269

Dome Cameras

IR Vandal Dome Cameras

See up to 90 Feet in Total Darkness

- ◆ 450 LOR Sony CCD (IR)
- ◆ 600 LOR Sony CCD (IR2)
- ◆ 550 LOR Sony ExView™ (EX)
- ◆ 3.7-12mm Aspherical Lens
- ◆ CDS Controlled Cut Filter
- ◆ 90-Foot Nighttime IR Range
- ◆ Dual Voltage 12VDC/24VAC
- ◆ 3-Axis Camera Mount



450 IR D/N Vandal Dome	CDC3057IR	\$209
600 IR D/N Vandal Dome	CDC3057IR2	\$229
550 IR D/N ExView Dome	CDC3057EX	\$249

Varifocal Dome Cameras

Day/Night Versatility for 24-Hr Surveillance

- ◆ 450 LOR Sony HAD 0.5 Lux
- ◆ 600 LOR Sony CCD 0.5 Lux
- ◆ 550 LOR Sony ExView™ 0.03 Lux
- ◆ 4-9 or 2.6-6mm Lens
- ◆ 3-Axis Camera Mount
- ◆ Auto Sensing Power
- ◆ 12VDC or 24VAC Power



450 4-9mm Indoor D/N Dome	CDC3051DN	\$169
600 4-9mm Indoor D/N Dome	CDC3051DN2	\$199
550 ExView 4-9mm D/N Dome	CDC3051EX	\$229
450 2.6-6mm Indoor D/N Dome	CDC3052DN	\$179
600 2.6-6mm Indoor D/N Dome	CDC3052DN2	\$209
550 ExView 2.6-6mm D/N Dome	CDC3052EX	\$239

1/3" Sony CCD IR Cameras

Maximum Versatility & Ease of Use

- ◆ 420 LOR 1/3" Sony CCD (IR & VF)
- ◆ 510 LOR 1/3" Sony CCD (IR2 & VF2)
- ◆ 4-9mm Externally Adjustable (VF/2)
- ◆ 3.6mm Fixed 75° @ F1.4 Lens (IR/2)
- ◆ Vandalproof Weatherproof Enclosure
- ◆ Built-in BLC, Electronic Iris and Turbo AGC
- ◆ 23 IR LEDs w/ 65' Range (IR/2)
- ◆ 36 IR LEDs w/ 90' Range (VF/2)
- ◆ Versatile 12-Volt DC @ 400mA



External Lens Adjustment

420 LOR Vandalproof IR Camera
510 LOR Vandalproof IR Camera
420 LOR 4-9mm Vandalproof IR Camera
510 LOR 4-9mm Vandalproof IR Camera

CDC3114IR \$59
CDC3114IR2 \$99
CDC3114VF \$129
CDC3114VF2 \$149

Weatherproof IR Dual CCD Camera

2 Cameras in One!

See up to 100' in Total Darkness

- ◆ 2 Cameras in One
- ◆ 420 Lines of Resolution Color
- ◆ 480 Lines of Resolution B/W
- ◆ View up to 100' Away at Night
- ◆ 30/840nm Long-Range 20° LEDs
- ◆ IP65 Weatherproof Rating
- ◆ Tough Vandalproof Case
- ◆ 3.6mm 75° FOV Micro Lens
- ◆ Power 12VDC at 500mA (IR Active)
- ◆ Operating Temperature from -4°F to 122°F
- ◆ Size 4.75" Diameter x 4" Tall



Dual CCD Color & B/W Camera
CDC3059IR \$189

Varifocal IR Vandal Dome

See up to 75 Feet at Night

- ◆ 480 Lines of Resolution Sony Super HAD
- ◆ 0.0 Low-Light Lux Rating @ F1.2 (IR On)
- ◆ 3.5-8mm Varifocal Auto-Iris Lens
- ◆ 75-Foot Infrared LED Range
- ◆ Size 5.3"D x 9.9"H
- ◆ Powered by 12VDC



Stainless Steel IR Ball Camera
CDC3046EP \$299

Mini Weatherproof IR Dome

Extra small IR dome for any environment.

- ◆ 540 Lines of Resolution Dynamic Range
- ◆ 0.08 Low Light Lux & F1.2
- ◆ Varifocal 4-9mm Auto Iris Lens
- ◆ Easy to Use On Screen Display
- ◆ Size 6.7"D x 4.2"H
- ◆ Adjustable AWB, AGC, BLC
- ◆ 3.8-9.5mm Auto Iris Lens
- ◆ Versatile Dual Voltage 12VDC & 24V



Indoor Wide Dynamic Dome Camera
CDC3042WD \$249

Mini Weatherproof IR Dome

Extra small IR dome for any environment.

- ◆ 550 Lines of Resolution
- ◆ 1/3" Sony Super HAD CCD
- ◆ 3.0mm Fixed Lens
- ◆ Day/Night Capability
- ◆ 3 Axis Adjustment
- ◆ 10- 850nm IR LEDs
- ◆ 30' IR Range
- ◆ Tough All-Metal Housing
- ◆ 12VDC @ 120mA
- ◆ 1.88 W x 1.45 H x 2.16 D



540LOR Mini IR Dome
CDC3061IR \$169

Professional Speed Domes

Indoor, Outdoor, Weatherproof, Day/Night, 18x or 26x High Resolution & More!

- ◆ 480 LOR Sony Super HAD
- ◆ Or ExView & 530 LOR/WDR
- ◆ Multiprotocol RS-485
- ◆ Advanced Privacy Masking
- ◆ 0-300° Pan Speed
- ◆ 0-60° Tilt Speed per Second
- ◆ 18X, 26X or 36X Optical Zoom & 12X Digital
- ◆ 6 Tours & 128 Presets & 50 dB Signal-to-Noise Ratio
- ◆ Auto/Manual Focus, Iris, BLC, Gain and AE Control
- ◆ Power Is 24VAC @ 30VA Draw (Heater & Fan)



SDKBD1



OCD25XSD



IC18XSD
Shown with Optional
Flush Mount Kit
SDFMT



SDKBD2/SDKBD3

Outdoor 24VAC 1000mA Power Supply
18X 480 LOR Indoor Speed Dome
18X 480 LOR Outdoor Speed Dome
18X 480 LOR D/N Indoor Speed Dome
18X 480 LOR D/N Outdoor Speed Dome
26X 480 LOR Indoor Speed Dome
26X 480 LOR Outdoor Speed Dome
36X 530 LOR Wide Dynamic Outdoor PTZ Dome

WX10024UL \$79
IC18XSD \$829
OC18XSD \$929
ICD18XSD \$959
OCD18XSD \$1059
ICD25XSD \$1019
OCD25XSD \$1139
OCD36XSDWD \$1749

Pedestal Adapter
Right Angle Adapter
Pole Adapter
Outside Corner Adapter
Inside Corner Adapter
Indoor Flush Mount Kit
6' Extension Kit
Basic Keyboard Controller
Full Function Keyboard
3-Axis Joystick

SDPED \$29
SDRA \$25
SDPA \$39
SDOCA \$39
SDICA \$39
SDFMT \$69
SD6FTEX \$79
SDKBD1 \$149
SDKBD2 \$299
SDKBD3 \$359

Professional Cameras

MiniTrax Speed Dome

Vandalproof & Weatherproof!

- ◆ 430 Lines of Resolution 1/3" Sharp CCD
- ◆ 1.5 Lux Light Rating @ F2.0
- ◆ 100X Total Zoom 10X Optical/Digital
- ◆ Power 12VDC/24VAC @ 8.5W
- ◆ Pan 0°-359° @ 120°/Sec
- ◆ Tilt 0°-90° @ 120°/Sec
- ◆ 4.7" x 4.6" x 3.9"



Mini 100X PTZ Dome Camera CDC3030SD \$649
Controller for CDC3030SD CNT3030SD \$399

1.3 Megapixel IP Mini Domes

Compact & High Resolution

- ◆ 1/3" Sony Progressive Scan CMOS Sensor
- ◆ 0.1 Lux @ F2.0 3.6mm Fixed Lens @ 96° FOV
- ◆ 1.3MP 1280 x 960 Resolution
- ◆ RJ-45 Network Connection
- ◆ 90° Pan/Tilt Camera Angle Adjustments
- ◆ IP66 Weatherproof Rating (CDC4000IP)
- ◆ MPEG4 30fps @ VGA & MJPEG 15fps @ 1280x960
- ◆ Digital Zoom 1-12X, Flip, Mirror & 180-Degree Rotate
- ◆ 4.3" Diameter & 1.9" Depth
- ◆ 802.3af POE Power Source (Not Included)



Indoor POE IP Mini Dome CDC3000IP \$399
Weatherproof IP66 POE IP Mini Dome CDC4000IP \$499

540 LOR IR Long-Range Cameras

See up to 240 Feet with 540 Lines of Resolution

- ◆ 540 Lines of Resolution Sony CCD
- ◆ Nighttime Range 240' (CFC6064VF)
- ◆ Nighttime Range 180' (CFC6063VF)
- ◆ 8-40mm Adjustable Lens (CFC6064VF)
- ◆ 8-22mm Adjustable Lens (CFC6063VF)
- ◆ Heavy-Duty Aluminum Housing
- ◆ Power 12 Volts DC @ 1000mA



Color High-Resolution 180° IR Camera CFC6063VF \$299
Color High-Resolution 240° IR Camera CFC6064VF \$329



[1 4]

SECURITY CAMERAS
DIRECT

WWW.SCDLINK.COM • 1-800-316-6027

Super Long-Range IR Cameras

View up to 492 Feet in Total Darkness

- ◆ 520 LOR Sony Super HAD CCD
- ◆ 14 Long-Range IR LEDs
- ◆ 21 Wide-Angle IR LEDs
- ◆ Electronic Photocell & Ethernet Card
- ◆ Withstands -15°F to 122°F
- ◆ Mechanical IR Cut-Filter (CFC6500VF/AC)
- ◆ Tough IP67 Rated Aluminum Housing
- ◆ Externally Adjustable 5-50mm Varifocal Lens
- ◆ Power 12 VDC @ 800mA
- ◆ 24 VAC (AC Models)



5-50mm 280' 12VDC IR Camera	CFC6300VF	\$299
5-50mm 280' 24VAC IR Camera	CFC6300AC	\$339
5-50mm 492' 12VDC IR Camera	CFC6500VF	\$399
5-50mm 492' 24VAC IR Camera	CFC6500AC	\$429
5-50mm 492' 12VDC IP Camera	CFC6500IP	\$549

*Convenient access
panel for lens
adjustments*



Color Dual Voltage IR Cameras

Versatile Day/Night Solutions

- ◆ 420 or 540 Lines of Resolution
- ◆ 100' IR Range
- ◆ 1/3" Imaging Device
- ◆ Concealed Cable Bracket
- ◆ 6mm Fixed or 3.5-8mm Auto-Iris Lens
- ◆ Dual Voltage Power (750mA)
- ◆ Low 0.0 Lux
- ◆ 6.7" x 3.7" Camera Body
- ◆ Operates from -4°F to 122°F
- ◆ IP65 Weatherproof Rating



420 LOR IR Camera	C420BCIR100	\$139
420 LOR 3.5-8mm IR Camera	C420BCIR100VF	\$179
540 LOR IR Camera	C540BCIR100	\$169
540 LOR 3.5-8mm IR Camera	C540BCIR100VF	\$200

940nm 262' 5-50mm IR Camera

See up to 262' in Total Darkness with NO RED LED's Glowing

- ◆ 520 LOR
- ◆ 0.01 Lux & 0.0 Lux w/ IRs On
- ◆ 1/3" Color CCD
- ◆ Built-in IR Cut Filter
- ◆ Adjustable IR Current
- ◆ Built-in Fan
- ◆ 5-50mm Day/Night Lens
- ◆ IP55 Weatherproof Rating
- ◆ Size 5.5"W x 3.75"H x 11.4"L
- ◆ 12 VDC @ 1.1 Amp w/ IRs on




940nm 262' D/N IR Camera	CFC6066VF	\$349
Outdoor Wall Mount Bracket	OCHWMT	\$15

Enhance IT Long-Range Camera

External Lens Adjustment and Cable Management Bracket

- ◆ 540 Lines of Resolution
- ◆ 0.0 Lux (IR models/IR On)
- ◆ 0.002 Lux (Non-IR Models)
- ◆ EnhanceIT @ 128X (Non-IR Models)
- ◆ 2.8-11mm or 5-50mm Auto-Iris Lens
- ◆ Dual Voltage Power
- ◆ Cable-Concealed Mount



2.8-11mm Auto Iris D/N Camera	C540BC2E	\$289
5-50mm Auto Iris D/N Camera	C540BC5E	\$409
2.8-11mm Auto Iris IR Camera	C540BC2EIR	\$349
5-50mm Auto Iris IR Camera	C540BC5EIR	\$479



CALL 830-401-7000 • FAX 830-875-9010

SECURITY CAMERAS
DIRECT

[15]

Infrared Weatherproof Camera

Cable-Concealed Bracket & External Lens Adjustment

- ◆ 420 LOR 1/4" Sharp CCD (VF)
- ◆ 540 LOR 1/3" Sony CCD (VF2)
- ◆ 4-9mm External Lens Adjustment
- ◆ IP66 Weatherproof Rating
- ◆ 42 IR LEDs @ 98' Range (VF)
- ◆ 36 Large IR LEDs @ 164' Range (VF2)
- ◆ IP66 Weatherproof Rating
- ◆ Cable-Concealed Bracket
- ◆ 12VDC @ 550mA (VF)
- ◆ 12VDC @ 700mA (VF2)



External Lens Adjustment



420 LOR 98' 4-9mm IR Camera CFC6067VF \$189
540 LOR 164' 4-9mm IR Camera CFC6067VF2 \$219

Color 5-50mm Day/Night Camera

Weatherproof Varifocal Performance

- ◆ 540 LOR Sony Super HAD
- ◆ 0.1 Low Light Lux @ F1.4
- ◆ Day/Night Cut Filter
- ◆ 5 - 50mm Auto-Iris Lens
- ◆ Sleek 2.3" x 5.5"
- ◆ IP67 Weatherproof Housing
- ◆ Cable-Concealed Bracket
- ◆ Power 12VDC @ 120mA



540 LOR Weatherproof Camera CFC6018VF2 \$209

Day/Night IR Zoom Cameras

See in Total Darkness & with 2.7mm-12mm Lens

- ◆ 420 LOR or 520 LOR Color CCD
- ◆ 2.7-12mm Varifocal Zoom Lens
- ◆ Weatherproof Aluminum Housing
- ◆ Low Light 0.0 Lux W/7 IR LEDs
- ◆ 12VDC @ 160mA IR On
- ◆ IP65 Weatherproof Camera
- ◆ Compact 2.5"D x 4"L
- ◆ Includes Mounting Bracket
- ◆ Integrated Sun/Weather Shield



External Focus Adjustment



420 LOR Weatherproof IR Camera C420BCDNVIR \$189
520 LOR Weatherproof IR Camera C520BCDNVIR \$219

D/N IR Weatherproof Camera

Up to 120' Infrared Illumination & 420 Lines of Resolution

- ◆ 420 Color LOR
- ◆ 0.0 Lux @ F2.0
- ◆ 6mm 60° FOV Lens
- ◆ See 120' in Darkness
- ◆ Auto AGC & BLC
- ◆ Weather-Resistant IP57 Case
- ◆ Built-in Photocell & Sunshield
- ◆ 12-Volt @ 90mA/600mA IR On
- ◆ Use Our 12VDC15AMP with the CFC6028IR




IR D/N Weatherproof Camera 120' CFC6028IR \$129

Weatherproof Cameras

Spider Web Deterrent Professional CCTV Camera

Avoid false motion triggers and image obstructions from unwanted spider webs on your IR camera.

- ◆ 550 LOR 1/3" Sony Super HAD CCD
- ◆ Built-In Digital Noise Reduction
- ◆ See up-to 150' In Total Darkness
- ◆ 2.8mm-12mm DC Auto Iris Lens
- ◆ LED Adjustment
- ◆ Cable Concealed Bracket
- ◆ 12 Volts DC @ 600mA



Spider Web Deterrent Camera CFC6068VF2 \$239



Emits a special high frequency signal that deters spiders as well as other insects.

IP66 Weatherproof Cameras

Weatherproof Camera Housing & Bracket for One Low Price

- ◆ 1/3" CCD 420 or 530 LOR
- ◆ 0.0 Lux Light Rating IRs On
- ◆ 100-Ft IR Range (IR2)
- ◆ 70-Ft IR Range (IR)
- ◆ 2.91" Diameter x 2.87" Length
- ◆ Built-In Sunshield & Wall Bracket
- ◆ Power 12VDC 550mA Max IR On
- ◆ EZ-Connect Video/Power Cable
- ◆ Powder Coat Finish
- ◆ Cable Concealed Bracket



Weatherproof IR 420 LOR Camera

CFC60141R \$99

Weatherproof IR 530 LOR Camera

CFC60141R2 \$129



Vandalproof 60' IR Cameras

Heavy-Duty Zinc Alloy Housing

- ◆ 420 LOR Sony 1/3" CCD (C420)
- ◆ 550 LOR Sony HQ1 1/3" CCD (C550)
- ◆ 18 IR LEDs with 60' Range
- ◆ 4.3mm Aspherical D/N Lens
- ◆ 0.0 Lux Rating @ F1.2
- ◆ Zinc Alloy Housing
- ◆ Smart IR Control
- ◆ Built-in Electronic Photocell
- ◆ 3-Axis Vandalproof Mounting Bracket
- ◆ 12VDC/24VAC Dual Voltage Power
- ◆ Cable-Concealed Bracket
- ◆ Withstand up to 1/4 Ton Impact



420 LOR Vandalproof IR Camera C420BCVPIR60 \$139

550 LOR Vandalproof IR Camera C550BCVPIR60 \$169

420 LOR Weatherproof IR Camera

Removable Weather Shield



- ◆ 420 LOR 1/4" Sharp CCD
- ◆ 23 IRs @ 65' Range
- ◆ 3.6mm Wide-Angle Lens
- ◆ 0.0 Lux Rating @ F2.0
- ◆ IP66 Weatherproof Housing
- ◆ Built-in Electronic Photocell
- ◆ 3-Axis Vandalproof Bracket
- ◆ 12VDC Power @ 200mA
- ◆ 4.9" x 2.7" x 2.6"
- ◆ Cable-Concealed Bracket
- ◆ With Sun/Rain Shield



420 LOR Weatherproof IR Camera

CFC20161R \$89

Color IR Bullet Cameras

IP66 Weatherproof Rating

- ◆ 420 LOR Day/Night Resolution
- ◆ 1/4" Sharp CCD
- ◆ 0.0 Lux Rating
- ◆ 3.6mm Lens (CFC60421R)
- ◆ 6mm (IR2/IR3)
- ◆ Automatic AWB, AGC & Shutter
- ◆ Weatherproof IP66 Metal Case
- ◆ Sturdy Metal Mounting Bracket
- ◆ 12VDC @ 300mA (CFC60421R)
- ◆ 12VDC @ 600mA (CFC60421R2)
- ◆ 12VDC @ 700mA (CFC60421R3)



CFC60421R



CFC60421R2



CFC60421R3



420 LOR 65' IR Weatherproof Camera

CFC60421R \$79

420 LOR 130' IR Weatherproof Camera

CFC60421R2 \$89

420 LOR 165' IR Weatherproof Camera

CFC60421R3 \$109

Great Value!

CALL 830-401-7000 • FAX 830-875-9010

**SECURITY CAMERAS
DIRECT**

[17]

Weatherproof Zoom Cameras

Either 9-22mm or 4-9mm Varifocal Lens

- ◆ 0.5 Lux @ F2.0 Low-Light Sensitivity
- ◆ 4-9mm Micro Varifocal Lens (CFC6023VF)
- ◆ 9-22mm Micro Varifocal Lens (CFC6022VF)
- ◆ 550 LOR 1/3" Sony CCD
- ◆ Auto-White Balance
- ◆ Auto-Gain Control
- ◆ Backlight Compensation
- ◆ Electronic Shutter
- ◆ External Lens Adjustment
- ◆ Size Is Only 1.4"D x 4.4"L
- ◆ Power 12VDC @ 300mA
- ◆ Weatherproof Sleek Bullet Design



Weatherproof 4-9mm Zoom Camera

CFC6023VF \$129

Weatherproof 9-22mm Zoom Camera

CFC6022VF \$139

Superhigh-Res 540 with OSD

Easy-to-Use OSD!

- ◆ 1/3" Sony 540 Lines of Resolution
- ◆ Great 0.1 Lux @ F2.0 Rating
- ◆ Built-in On-Screen Display
- ◆ Tough Weatherproof Construction
- ◆ Very Small 0.83"D x 2.9"L
- ◆ 64-Zone Video Motion Detection
- ◆ 3.6mm Mini Lens



540 LOR Weatherproof Bullet CFC6059ST \$159

Bullet Cameras

Color Bullet Camera

380 LOR & 1.0 Lux Compact Design

- ◆ 1/4" Sharp 380 Lines of Resolution
- ◆ Great 1.0 Lux @ F2.0 Rating
- ◆ Built-in Auto-Iris & Backlight Compensation
- ◆ Tough Aluminum Construction
- ◆ Useful 0.8" D x 3.2"L
- ◆ Long-Range 80° FOV
- ◆ 3.6mm Mini Lens
- ◆ 12VDC @ 160mA



380 LOR Bullet Camera

CFC6005ST \$89



Super HAD Weatherproof Varifocal Camera

4-9mm Externally Adjustable Varifocal Lens

- ◆ 420 Lines of Resolution 1/3" Sony CCD
- ◆ 0.03 Lux @ F2.0 Super HAD
- ◆ Externally Adjustable Zoom/Focus
- ◆ Size Is Only 0.875"D x 3.5"L
- ◆ 4-9mm Varifocal Lens
- ◆ 12 Volts DC @ 120mA



Varifocal Super HAD Camera

CFC6026VF \$139

Wide-Angle Bullet Camera

170° FOV Weatherproof Color or B/W

- ◆ 350 LOR Cfr CFC2010WA
- ◆ 550 LOR Cfr CFC2010WA2/3
- ◆ 420 LOR B/W CFB2010WA
- ◆ 0.5 Lux @ F1.4 CFC2010WA
- ◆ 0.1 Lux @ F1.4 CFB2010WA
- ◆ 2.2mm Wide View 170° FOV
- ◆ Power 12VDC @ 115mA
- ◆ Rugged All-Aluminum Housing
- ◆ Includes EZ-Connect Cable



Wide-Angle!

B/W 170° 420 LOR Camera

Color 170° 350 LOR Camera

Color 170° 550 LOR Camera

Color 170° 550 LOR ExView Camera

CFB2010WA \$79

CFC2010WA \$109

CFC2010WA2 \$139

CFC2010WA3 \$169

Wide-Angle Bullet Cameras

170° FOV Weatherproof Camera

- ◆ 520 Lines of Resolution
- ◆ 1/3" Sony CCD (CFC2010WA2S)
- ◆ 1/3" Sony Ex-View CCD (CFC2010WA3S)
- ◆ Day/Night Operation
- ◆ 2.2mm Wide Angle 170° FOV
- ◆ Rugged All-Aluminum Housing
- ◆ 0.5 Lux Rating (CFC2010WA2S)
- ◆ 0.05 Lux Rating (CFC2010WA3S)
- ◆ Power 12VDC @ 115mA
- ◆ Operating Temp 14°-122° F



Day/Night 520 LOR Camera CFC2010WA2S \$129

Day/Night 520 LOR Ex-View CFC2010WA3S \$149

600 Lines Hi-Res Low Lux Bullet Camera

Slender Design, 0.0003 Lux Rating

- ◆ 600 Lines of Resolution Sony CCD
- ◆ Low 0.0003 Lux Rating @ F2.0
- ◆ 3.6mm 90° Field of View Mini Lens
- ◆ Built-in Electronic Shutter & 45dB S/N
- ◆ Sleek 0.74" Diameter x 2.36" Length
- ◆ Power 12-Volt DC @ Only 100mA
- ◆ IP67 Weather Rating
- ◆ Automatic Gain Control



B/W ExView™ Bullet Camera
CFB6021EX \$109

550 LOR Weatherproof Mini Camera

IP67 Weatherproof Rating

- ◆ 550 LOR Sony 1/3" CCD (ICX638)
- ◆ Low 0.2 Lux @ F2.0 Rating
- ◆ IP67 Weather Rating
- ◆ Operates in 14°F - 122°F
- ◆ Power 12VDC @ 90mA
- ◆ Automatic White Balance & Gain
- ◆ Small 0.75" D x 2.5" L
- ◆ 3.6mm Mini Lens



Mini Bullet Camera
KPCVBN190NHWX \$129

Mini Wide-Angle Camera

Only an Amazing 0.74" In Diameter

- ◆ 380 Lines of Resolution 1/3" CCD
- ◆ 0.74" Diameter x 0.9" Depth Form Factor
- ◆ Built-in BLC, AWB & Moldable Bracket
- ◆ 0.3 Lux @ F1.2 Low-Light Rating
- ◆ Weatherproof
- ◆ Vibration Resistant
- ◆ S/N Ratio 48dB AGC Off
- ◆ 150° Wide-Angle Field of View
- ◆ Powered by 12 VDC @ 65mA



Mini Wide-Angle Camera
CMC5021WA \$139

480 Lines of Resolution 3X Zoom Bullet Camera

Compact & Weatherproof

- ◆ 480 Lines of Resolution 1/3" Sony CCD
- ◆ 1 Lux @ F2.0 Low Light Sensitivity
- ◆ 3X Digital Zoom & Digital Pan/Tilt
- ◆ Great For DVR w/ RS 485 Pelco D
- ◆ Weatherproof Sleek Bullet Design
- ◆ 4-8mm Micro Varifocal Lens
- ◆ Only 1.375" D x 4.75" L
- ◆ 9-15 VDC @ 200mA



480 Color Bullet Camera
CFC6030ZM \$99

Weatherproof IR Camera

Wide 130-Degree Field of View

- ◆ 400 Lines of Resolution 1/4" CCD
- ◆ 0.0 Lux with 6 IR LEDs
- ◆ S/N Ratio 48dB AGC Off
- ◆ 2.2mm Low-Distortion Lens
- ◆ 130° Wide-Angle Field of View
- ◆ Built-in BLC, AWB & AGC
- ◆ 0.98" D x 1.49" Depth Form Factor
- ◆ Powered by 12 VDC @ 65mA
- ◆ Adjustable Mirror Mode
- ◆ Great for Rear-View Applications



Wide-Angle D/N Camera
CMC5024IR \$129

530 LOR Network Zoom Camera

View From Any Internet Connection!

- ◆ 530 LOR Sony Super HAD 1/3" CCD
- ◆ Low 0.002 Low Light Lux Rating & F1.6
- ◆ Up to 30 FPS 740 X 480 Resolution
- ◆ Varifocal DC Auto Iris 5-50mm Lens
- ◆ 20 Concurrent Users with Password Protection
- ◆ Built-in Video Motion Detection
- ◆ Alarm Feature can E-mail/SMS Images
- ◆ 12-Volt DC & 545mA



Color Network Zoom Camera
CFC6000 \$369

1" Small 540 LOR OSD Camera

Easy-to-Use OSD Menu

- ◆ 540 1/3" Sony CCD Chipset
- ◆ 0.1 Lux @ F1.2 Light Rating
- ◆ 80° FOV 4mm Mini Lens
- ◆ 3-Line Color Processing
- ◆ 4-Zone Privacy Masking
- ◆ OSD Controls Digital Function
- ◆ User-Defined Day/Night Mode
- ◆ 1" Square
- ◆ 12VDC @ 120mA
- ◆ EZ-Connect Video/Power Cables



540 LOR OSD Mini Camera
CMC5025ST **\$129**

SHARP CCD Cameras

Super Miniature-Sized DSP 420 LOR 1.0 Lux Cameras



- ◆ Stunning 420 LOR Sharp 1/3" CCD
- ◆ 1.0 Low Lux Rating @ F2.0
- ◆ 3.6mm 92° FOV (CMC5009ST)
- ◆ 3.7mm 90° FOV (CMC5009PH and CP)
- ◆ Built-in Auto-Iris 1/60 - 1/100,000 Sec
- ◆ Automatic White Balance / Gain Control

- ◆ All-Aluminum Housing
- ◆ Signal-to-Noise Ratio 46dB
- ◆ Runs on 12VDC @ 100mA
- ◆ Tiny Size 0.8" x 0.8" x 0.9"
- ◆ Includes Mounting Bracket
- ◆ EZ-Connect Cable



420 LOR Standard Lens Camera **CMC5009ST \$88**
420 LOR Pinhole Lens Camera **CMC5009PH \$98**
420 LOR Conical Lens Camera **CMC5009CP \$108**

Superhigh-Res ExView™ Cameras

Amazing 600 Lines of Resolution Tough Aluminum Housing!



- ◆ 600 Lines of Resolution
- ◆ 0.0003 Low-Light Lux F2.0
- ◆ 3.6mm 92° FOV (CMB5010EX)
- ◆ 3.7mm 90° FOV (Pinhole / Cone)
- ◆ Built-in Auto-Iris 1/60 - 1/100,000s
- ◆ Automatic White Balance
- ◆ All-Aluminum Housing
- ◆ Signal-to-Noise Ratio 48dB
- ◆ Runs on 9-15VDC @ 120mA
- ◆ Tiny Size 0.8" x 0.8" x .75"
- ◆ Includes Mounting Bracket
- ◆ EZ-Connect Cables



B/W Mini 600 LOR Camera **CMB5010EX \$124**
B/W Mini 600 LOR Pinhole Camera **CMB5011EX \$134**
B/W Mini 600 LOR Cone Camera **CMB5012EX \$144**

470-LOR High-Res Cameras

Hardened Metal Case, 1.0 Lux, High-Res, from \$99

- ◆ 470 Lines of Resolution
- ◆ 1.0 Lux @ F1.2 Light Rating
- ◆ 75° FOV 3.6mm Mini Lens
- ◆ 72° FOV Pinhole Lens
- ◆ Auto AGC, AWB, Auto-Iris
- ◆ Heavy-Duty Sturdy Case
- ◆ Compact 1.5" x 1.5" x 1"
- ◆ 12VDC @ 100mA
- ◆ EZ-Connect Video/Power Cables



470 LOR Mini Camera **CMC5019ST \$99**
470 LOR Mini Pinhole Camera **CMC5019PH \$109**

Mini Cameras

550 LOR HQ-1 Mini Camera

Ulratiny 550 Lines of Resolution Camera

- ◆ 550 Lines of Resolution Sony CCD
- ◆ Very Low 0.2 Lux @ F2.0 Rating
- ◆ Very Small 1" x 1" Size
- ◆ 3.7mm 85° FOV Mini Lens
- ◆ Automatic White Balance & Gain
- ◆ Includes Mounting Bracket
- ◆ Includes EZ-Connect Cables
- ◆ Operates in 14°F - 122°F
- ◆ Power 12 Volts DC @ 90mA



550 LOR 0.2 Lux Flat Pinhole Lens Camera
KPCVSN500NHP3 **\$119**

[20] SECURITY CAMERAS
DIRECT

B/W CMOS Micro Video Cameras

Amazing 1/2" Camera with 380 Lines of Resolution

- ◆ 380 Lines of Resolution CMOS
- ◆ 0.05 Lux Low-Light Rating
- ◆ 0.5" x 0.5" x 0.5" Camera Head
- ◆ 3.6mm 70° FOV Mini Lens
- ◆ 3.7mm 68° FOV (Pinhole / Cone)
- ◆ 7-12 Volts DC @ 35 mA MAX
- ◆ Weight Is Only 1/2 oz.!
- ◆ EZ-Connect Video/Power Cables




B/W 380 LOR Pinhole Mini Camera **CNB7009PH \$39**
B/W 380 LOR Cone Mini Camera **CNB7009CP \$59**

World's Smallest Color Video Camera

380 Lines of Resolution, 1.5 Lux, 0.3" Square Package

- ◆ 380 Lines of Resolution
- ◆ 1.5 Low-Light Lux F1.2
- ◆ 3.5mm 82° FOV (Pinhole Cameras)
- ◆ Built-in Auto-Iris 1/50-1/63,000 Sec.
- ◆ Automatic White Balance
- ◆ Featherlite 0.35 Ounce
- ◆ Signal-to-Noise Ratio 48dB
- ◆ Runs on 9-12VDC @ 35mA
- ◆ Tiny Size 0.3" x 0.3" x 0.3"
- ◆ Includes EZ-Connect Cables



Color Mini 380 LOR Camera
CMC5020PH \$124

Color 380 Lines of Resolution Mini Camera

Less Than the Size of a Sugar Cube, 1/2" Square w/ Color

- ◆ 380 Lines of Resolution 1/7" CMOS
- ◆ 1.5 Lux Low-Light Rating @ F1.2
- ◆ Tiny 0.5" x 0.5" x 0.7" Size
- ◆ Weighs Under 1 oz.
- ◆ 3.6mm 70° FOV Mini Lens
- ◆ 4.3mm 60° FOV Pinhole Lens
- ◆ 1/50 to 1/63,000 Electronic Shutter
- ◆ 7-12 Volts DC @ 35 mA
- ◆ EZ-Connect Video/Power Cables



ultra
Tiny!



Cone Pinhole CMOS Camera
CNC7002CP \$109

Amazing Price & Performance

Tough External Powder-Coated Metal Case!

- ◆ 350 LOR Color Sharp Chipset
- ◆ 1.0 Lux @ F1.2
- ◆ Super-Wide 2.8mm 92° FOV
- ◆ Runs on 12VDC @ 100mA
- ◆ Size 1.5" x 1.5" x 1.25"
- ◆ Includes Mounting Bracket
- ◆ EZ-Connect Cables



Color Mini 350 LOR Camera
CMC5001ST \$29

Flexible Remote Head Camera

12" Length Is Perfect for Vehicular Drug Searches



- ◆ 380 Lines of Resolution 1/4" CCD
- ◆ 0.2 Lux @ 1.2 Lux Low-Light Rating
- ◆ 3.7mm 55° Cone Pinhole Mini Lens
- ◆ 1/50 - 1/120,000 sec Electronic Shutter
- ◆ 12-Inch Flexible Camera Head
- ◆ Wide-Range Voltage 12V @ 70mA



Color 12" Flexible Remote Head Camera
SNK1005 \$134

World's Smallest Bullet Camera

Incredible 0.47" x 1.2"

- ◆ 380 Lines of Resolution 1/4" CMOS
- ◆ Low 1.5 Lux Rating @ F1.2
- ◆ 3.6mm 82° Field of View Mini Lens
- ◆ Built-in Electronic Shutter & 45dB S/N
- ◆ Compact Swivel Mounting Bracket
- ◆ Automatic Gain Control
- ◆ Sleek 0.47" Diameter x 1.2" Length
- ◆ Power 9-12-Volt DC @ Only 50mA



Color 380 LOR Mini Bullet Camera
CNC7003ST \$99

Super Micro Camera

Color Camera Only 1/3" Diameter

- ◆ 240 Lines of Resolution CMOS Imager
- ◆ Low 2.0 Lux @ F1.2 Light Rating
- ◆ 3.8mm 66° Mini Pinhole Lens
- ◆ Super Mini 0.3" x 0.47"
- ◆ Power 9-12VDC @ 35mA



Color 240 LOR Mini Camera
CNC7004ST \$140

Unbelievable Value & Performance

Tough Powder-Coated Metal Case Great for Undercover Work!

- ◆ 420 LOR B/W Samsung CCD
- ◆ 0.5 Lux @ F1.2
- ◆ Super-Wide 2.8mm 92° FOV
- ◆ Runs on 12VDC @ 100mA
- ◆ Size 1.5" x 1.5" x 1.25"
- ◆ Includes Mounting Bracket
- ◆ Includes Cables



B/W Mini 420 LOR Camera
CMB5000ST \$29

Mini Cameras

Small 1.25" Square w/420 LOR B/W Camera

Unbeatable Price, 0.5 Low Lux Rating, 92° Wide Angle View

- ◆ 420 Lines of Resolution
- ◆ 0.5 Lux @ F1.2 Light Rating
- ◆ 92° FOV 2.8mm Mini Lens
- ◆ 1.25" x 1.25" x .75"
- ◆ Auto AGC, AWB, Auto-Iris
- ◆ Heavy-Duty Sturdy Case
- ◆ 12VDC @ 100mA
- ◆ Includes Video/Power Cables



B/W Mini LOR Flat Pinhole Lens Camera
CMB5000PH \$39

Super Mini D/N CMOS Cameras

350 Lines of Resolution

- ◆ 350 Lines of Resolution Omni CMOS
- ◆ Low 0.0 Lux w/ IR or 0.2 Lux
- ◆ View up to 12' in Total Darkness
- ◆ 3.6mm 78° FOV Mini Lens
- ◆ Multi-Position Sturdy Mounting Bracket
- ◆ Low Power 12 VDC @ Only 10mA
- ◆ Small 2"W x 1.2"H 1.2"L



B/W 350 LOR IR CMOS Camera
CMB5002IR \$25

Sony HQ-1 540 LOR

Single Board Design

- ◆ 540 Lines of Resolution 1/3" Sony CCD
- ◆ Low 0.5 Lux at F2.0 Rating
- ◆ Power 12VDC @ 130mA
- ◆ 3.7mm 92° Mini Pinhole Lens
- ◆ Includes Power/Video Cables
- ◆ Size Is Only 1.49" x 1.49" x 0.7"
- ◆ Electronic Shutter & 50dB S/N



Color 540 LOR Camera
CWC1024PH \$109

Color Digital Board Cameras

Ultra Small 0.86" x 1" Mini Board

- ◆ 330 Lines of Resolution
- ◆ Low 0.3 Lux
- ◆ 4mm 92° Mini Lens (PH)
- ◆ Electronic Shutter & 48dB S/N
- ◆ Includes Power/Video Cables
- ◆ Size Is Only 0.86" x 1.0" x 0.44"
- ◆ Power 5VDC @ 140mA



CWC1022PH



CWC1022ST



330 LOR Standard Lens Board Camera
CWC1022PH \$99

330 LOR Pinhole Lens Board Camera
CWC1022ST \$99

[2 2]

SECURITY CAMERAS
DIRECT

Color High-Res Board Camera

470 Lines of Resolution from a 1.25" Board

- ◆ 470 LOR 1/3" DSP CCD
- ◆ Low 0.01 Lux at F1.2 Light Rating
- ◆ 3.7mm 80° Pinhole Mini Lens
- ◆ Auto Gain & Auto White Balance
- ◆ Automatic Electronic Shutter & 48dB
- ◆ Built-in IR Pass 850nm Filter
- ◆ Size Is Only 1.25"L x 1.25"W
- ◆ Power 12 VDC @ 100mA



470 LOR D/N Board Camera
CWC1012DN \$96

Color Wide Dynamic Camera

Ultrasharp 480 LOR

- ◆ 480 LOR 1/3" Sony WDR
- ◆ Low 0.004 Lux at F1.2 Rating
- ◆ 64X Dynamic Range Auto/Manual
- ◆ 3.6mm 92° Mini Lens
- ◆ OSD with Digital Effects
- ◆ Automatic Electronic Shutter & 48dB S/N
- ◆ Includes EZ-Connect Power/Video Cables
- ◆ Size Is Only 1.5"L x 1.5"W x 0.7"H
- ◆ Power 9-15 Volts DC @ 140mA



Wide Dynamic 480 LOR Board Camera
CWC1002WD \$209

Color 550 LOR Sony CCD

Ultratiny 550 LOR Camera

- ◆ 550 Lines of Resolution Sony CCD
- ◆ Very Low 0.2 Lux @ F2.0 Rating
- ◆ Very Small 1" x 1" Size
- ◆ 3.7mm 85° FOV Mini Lens
- ◆ Automatic White Balance & Gain
- ◆ Comes with EZ-Connect Cables
- ◆ Operates in 14°F - 122°F
- ◆ Power 12 Volts DC @ 90mA




550 LOR Board Camera
ACEVMN320NHP4 \$119

B/W 380 LOR Board Cameras

1.25" Square 0.25 Lux Rating Perfect for Covert Surveillance

- ◆ 380 Lines of Resolution 1/3" Sharp CCD
- ◆ Low 0.25 Lux at F2.0 Rating
- ◆ 3.6mm 75° Mini Lens (ST)
- ◆ 5.5mm 55° Pinhole Lens (PH)
- ◆ Auto Electronic Shutter & 48dB S/N
- ◆ Auto-Iris/Gain Control
- ◆ Includes EZ-Connect Power/Video Cables
- ◆ Size Is Only 1.25"L x 1.25"W
- ◆ Power 9-15 Volts DC @ 120mA



B/W 380 LOR Standard Lens Board Camera
CWB1015ST \$19
B/W 380 LOR Pinhole Lens Board Camera
CWB1015PH \$29

Color High-Res Board Cameras

Phenomenal 470 Lines of Resolution from a 1.25" Board

CWC1011ST/PH

- ◆ 470 Lines of Resolution 1/3" Sharp CCD
- ◆ Low 0.7 Lux at F1.2 Rating
- ◆ 3.7mm 90° Mini Lens (CWC1011ST)
- ◆ 3.6mm 92° Pinhole Lens (CWC1011PH)
- ◆ Automatic Electronic Shutter & 48dB S/N
- ◆ Includes Power/Video Cables
- ◆ Size Is Only 1.25" x 1.25" x 0.7"
- ◆ Power 9-15 VDC @ 110mA



CWC1011ST



CWC1011PH




Hi-Res Standard Lens Board Camera
CWC1011ST \$79
Hi-Res Pinhole Lens Board Camera
CWC1011PH \$89

Color 380LOR Board Cameras

Small 1.25" Square with 380 LOR

- ◆ 380 Lines of Resolution 1/4" DSP CCD
- ◆ Low 0.3 Lux at F2.0 Rating
- ◆ 3.7mm 90° Mini Lens (CWC1007ST)
- ◆ 3.6mm 92° Pinhole Lens (CWC1007PH)
- ◆ Automatic Electronic Shutter & 48dB S/N
- ◆ Includes EZ-Connect Power/Video Cables
- ◆ Only 1.25"L x 1.25"W x 0.44"H
- ◆ Power 9-15 Volts DC @ 100mA



CWC1007ST

CWC1007PH

CWC1007CP



Standard Lens Board Camera
CWC1007ST \$38
Pinhole Lens Board Camera
CWC1007PH \$43
Cone Pinhole Lens Board Camera
CWC1007CP \$79

B/W Sony ExView™ Cameras

Cone Pinhole Is Excellent for Covert Surveillance

- ◆ 600 Lines of Resolution (CWB1018)
- ◆ Low 0.0003 Lux at F1.2 Light Rating
- ◆ 3.6mm 85° lens (EX)
- ◆ covert 4.5mm 72° cone lens (CP)
- ◆ Auto Gain & 10-Bit DSP
- ◆ Automatic Electronic Shutter & 48dB S/N
- ◆ Includes EZ-Connect Power/Video Cables
- ◆ Size Is Only 1.18"L x 1.18"W
- ◆ Power 12 Volts DC @ 100mA



B/W 600 LOR ExView™ Camera **CWB1018EX \$109**
B/W 600 LOR ExView™ Cone Camera **CWB1018CP \$119**

Realistic Dummy Cameras

Effective Theft Deterrent w/ Powered Red LEDs

DUM1002



DUM1006



Dummy Indoor CCTV Camera

DUM1002 \$9

Dummy Infrared Bullet Camera

DUM1006 \$29

Monitor Brackets

Many Options Available To Save Space



LCDWMT



LCDTMT



LCDPMT



Ceiling Mount



Wall Mount

LCD Bracket

Tilting LCD Bracket

Swing Arm LCD Bracket

9"-14" Ceiling Bracket

14"-21" Ceiling Bracket

20"-29" Ceiling Bracket

9"-14" Dbl Arm Wall Bracket

14"-21" Wall Bracket

20"-29" Wall Bracket

LCDWMT \$25

LCDTMT \$29

LCDPMT \$55

MMC914 \$49

MMC1421 \$57

MMC2029 \$89

MMW914H \$49

MMW1421 \$59

MMW2029 \$89

Accessories

Camera Housings

Ensure Your Camera Is Protected!

OCH1000IR

◆ 7 High-Output IR LEDs

◆ Illuminate up to 75 Feet

◆ Runs on 12VDC at 230mA.



OCH1001HB
5.7" x 5.5" x 18.5"



OCH1000IR



OCH1/OCH2
5.6" x 4.5" x 14.5"

Medium Housing

Medium Housing w/Heater & Blower

Large Housing w/Heater & Blower

Medium Housing with IR

Pendant Dome w/ Clear Lower Dome

Pendant Dome w/ Smoked Lower Dome

Opaque & Smoke Pendant Dome

OCH1 \$25

OCH2 \$35

OCH1001HB \$39

OCH1000IR \$59

ICH1000DM \$99

ICH1001DM \$99

ICH1002DM \$99

Pendant Domes

◆ 8.75"H x 10.5"W x 10.5"L

◆ Holds 6.5" Cameras

◆ Rugged & Scratch Resistant



ICH1000DM



ICH1002DM



ICH1001DM

Camera/Housing Mounting Brackets

Give Your Camera a Sturdy Base



MCM6W

The MCM6 and MCM6W are quite possibly the best camera brackets on the market! All of the parts are interchangeable and can be customized into 12 different combinations, including a T-rail adapter.



CBR1008



OCHWMT



OCHJMT

Simple Camera Bracket

Plastic Beige Camera Bracket

180° Tilting Black Camera Bracket

180° Tilting White Camera Bracket

Outdoor Heavy-Duty Housing Bracket

L-Shaped Outdoor Housing Bracket

Mobile Window Mount Camera Bracket

CBR1008 \$5

CWMP \$5

MCM6 \$12

MCM6W \$12

OCHWMT \$15

OCHJMT \$29

PV809 \$29



CWMP



PV809

3 Cameras & Quad

All In One!

- ◆ 420 LOR/ 0.1 Lux
- ◆ 3 High-Resolution CCD Cameras
- ◆ Built-in Real-Time Quad Processor
- ◆ Vandalproof Armored Dome
- ◆ Store and Record up to 60 Still Images
- ◆ 60' Wired Remote Control
- ◆ Dome Size 5.1" Diameter x 5.5" Tall
- ◆ Includes Power Supply and Extra Cable



B/W 3 Camera Dome
CDB3001 \$149

B/W Mini Video Camera

1/2" Camera with 380 Lines of Resolution

- ◆ 380 Lines of Resolution CMOS
- ◆ 0.05 Lux Low-Light Rating
- ◆ 0.5" x 0.5" x 0.5" Camera Head
- ◆ 3.7mm 68° FOV Pinhole Lens
- ◆ 7-12 Volts DC @ 35 mA MAX
- ◆ Weight Is Only 1/2 oz.!
- ◆ EZ-Connect Video/Power Cables



B/W 380 LOR Pinhole Mini Camera
CNB7009PH \$39

RJ-45 Crimp Tool

Make Your Installation Easy

- ◆ Built-in Cutter and Stripper
- ◆ Rust-Resistant Black Oxide Coating
- ◆ High-Quality Rubber Grip
- ◆ Saves Valuable Time and Effort



RJ45 Crimp Tool
CRP1000 \$19

Price Cuts

NTSC to PAL Converter

Use with European PAL Monitors

- ◆ Converts NTSC Signals to PAL B,D,I,G & K
- ◆ Accepts NTSC Composite Video & Audio
- ◆ Use for European PAL Monitors
- ◆ Automatic Tint Control
- ◆ 9-12VDC @ 100-500mA
- ◆ Includes Power Supply & Audio/Video Cables



NTSC to PAL Converter
CNV1000NP \$32

Solar Power Supplies

Power Your Remote Cameras with Ease

- ◆ Full Recharge with 8Hr of Sunlight
- ◆ 150mA Max Output (SPR0150)
- ◆ Built-in Voltage Display
- ◆ 8Ah @ 12 Volts Battery (SPR0150)



150mA Solar Power Supply
SPR0150 \$249

Color IR Camera

See up to 90 Feet in Total Darkness

- ◆ 380 Lines of Resolution CCD
- ◆ 0.0 Lux Low-Light IR 90-Foot LEDs
- ◆ Uses Adjustable CDS Light Sensor
- ◆ Accepts Either DC/Video-Driven Lens
- ◆ Switchable AES/BLC/Flickerless
- ◆ Size 2.2" W x 1.9" H x 3.9" L
- ◆ Power 24 VAC 2.8 Watts Max



Color 380 LOR IR
AC Professional
Camera
CPC4016IR \$99

Color WP Zoom Camera

5mm-50mm Exterior Adjustable

- ◆ 350 Lines of Resolution (VF)
- ◆ 480 Lines of Resolution (VF2)
- ◆ 0.6 Low Light Lux @ F1.4
- ◆ Integrated Auto-Iris Varifocal Lens
- ◆ 2.8 - 10mm Lens

2.8-10mm 350 LOR
Weatherproof Camera
CFC6003VF \$139
2.8-10mm 480 LOR
Weatherproof Camera
CFC6003VF2 \$159



Network DVR w/ CDRW

4-Channel Network DVR

- ◆ Embedded Stand-Alone Platform
- ◆ PTZ Camera Control
- ◆ CD-RW Data Backup
- ◆ Built-In Web Server
- ◆ Motion Detection Activation
- ◆ Time & Date / Event / Percentage Search



4-Channel Network DVR
DVR4003N \$349

Direct Order Form

[Call: 800-316-6027/Fax: 1-830-875-9010]

1

Billing Address

credit card users must use credit card billing address

Name

Organization

Street

City

State

Zip

Day Phone #

2

Shipping Address

If different than billing address

Name

Organization

Street

City

State

Zip

Day Phone #

Fax #

Email address

3

Kindly include your Sales Rep's Name, if possible

Do you know someone who would like a catalog?

We'll promptly send them our latest catalog!

Name

Email

Address

4

Payment Method

☐ Net 30 / PO#

☐ Check or Money Order

☐ COD

☐ Credit Card


Cardholder Name


Account #


Expiration Date


Verification Code


Signature

☐ 

☐ 

☐ 

☐ 

☐ 

5

Shipping Options

choose...

☐ 1 DAY AIR

☐ 2 DAY AIR

☐ GROUND EXPRESS DELIVERY
(1-2 days to most areas)







	Quantity	Part #	Description	Unit Price	Total Price
1					
2					
3					
4					
5					
6					
7					
8					
9					

Special Ordering/Handling Instructions

Subtotal

Shipping/Handling
Add 10% or call for a quote (\$9.95 minimum)

(TX, CA, NJ) Sales Tax

C.O.D. (Add \$9.00)

TOTAL

SECURITY CAMERAS DIRECT IS HERE TO SERVE YOU!

WWW.SCDLINK.COM

PHONE: 800-316-6027 FAX: 1-830-875-9010 INTERNATIONAL: 001-830-401-7000

#1 SECURITY CAMERAS DIRECT WAY; LULING TX 78648 USA

"Buy Direct" | Security Cameras Direct

Why Buy Direct?

It's as easy as 1-2-3:

1. We carefully select the world's best quality, best value and most innovative CCTV products.
2. We buy at huge volume discounts.
3. We pass the savings along to you.

How Can We Help You?

Our friendly & knowledgeable staff is dedicated to helping you get what you need, when you need it.

- ▶ System design help? Leave it to us.
- ▶ Hard-to-find CCTV items? We have it.
- ▶ Last-minute order? We're here for you.
- ▶ Technical assistance? It's always free.

Our Guarantee to You!

Nobody beats our prices or service!

We are pleased to offer:

- ▶ **30-Day Customer-First Guarantee**
- ▶ **Same-day shipping on in-stock products**
- ▶ **Express Delivery (1-2 days ground shipping to most areas in the US)**
- ▶ **Low Prices... GUARANTEED!**

Convenience of One Source!

It's easy! Nobody has our wide selection, outstanding prices, offers leading brand names and makes ordering so easy. Just give us a call.


Quality Products In Stock!

And ready to ship!

- ▶ **Over 50,000 products.**
- ▶ **All major brands.**
- ▶ **Only the best, bench-tested OEM products at factory-direct prices.**

Consider It Done!

Security Cameras Direct is with you every step of the way. If you ever have an issue that you feel has not satisfied you 100% call our *Consider It Done* line at 830-401-7077 and we will take care of your needs promptly. It is all about our commitment to put you first.



Aaron James
President
Security Cameras Direct

Ready to Order?

Choose from the following options.

- ▶ Fax your PO or Order Form to: 1-830-875-9010
- ▶ Call toll-free at: 800-316-6027
- ▶ Order online at: www.scdlink.com
- ▶ Email: sales@scdlink.com

Payment Options

It's your choice!

- ▶ Major credit cards are welcome: Visa, MasterCard, American Express or Discover
- ▶ PayPal - transfer to paypal@scdlink.com
- ▶ Check or money order
- ▶ COD
- ▶ Net 30 available for high-volume accounts (WAC)
- ▶ GSA Purchasing through www.gsaadvantage.com

Please Note:

- ▶ Send us your qualified re-sale card for tax-exempt orders in CA, NJ, & TX.
- ▶ International orders must be paid in advance.

Warranty & Returns

30-Day Customer-First Guarantee!

We want you to be happy with everything you purchase. Each branded product carries its specific manufacturer's warranty. All OEM products carry a one-year repair or replacement warranty. Exceptions are DVRs sold without a hard drive; these have a 60-day warranty. If you're not satisfied with a product, please call us for return authorization ("RA") instructions. We will refund your order (purchase price minus shipping costs) if the product is returned unused in its original unaltered packaging within 30 days of purchase.

Please note: Pricing, specifications, availability and terms of offer may change without notice. Taxes, fees & shipping charges are extra and vary. Security Cameras Direct cannot be responsible for pricing or other errors and reserves the right to cancel orders arising from such errors. All sales are subject to Security Cameras Direct's terms and conditions. You can find them by clicking on "Terms and Conditions of Sale" located at the bottom of our Web site, www.scdlink.com. Wireless transmission ranges are for comparative purpose only. Actual ranges vary with environment, interference and transmission barriers, and may be less than stated.

Shop by Phone

800-316-6027

WARNING: law regarding audio/video surveillance & transmission

Any conversation between individuals is private, unless otherwise notified. In simple terms, this means that any overhearing or recording of a conversation is illegal, unless both parties are aware that it is being done. In addition, certain applications of video surveillance and transmission equipment will be subject to federal/state/local laws. It is suggested that you consult with your attorney and become fully aware of the federal/state/local laws in this regard.

Direct Credit Application

1 Customer Information We welcome repeat customers. To simplify future orders, please complete the following information form.

Company Name _____ Social Security # _____
Address _____ Title _____
City/State/Zip _____ Principal/Owner _____
Phone # _____ Fax # _____ Email Address _____
Federal Tax ID # _____ Authorized Name _____
Dun & Bradstreet _____ City/State/Zip _____
Annual Sales Volume _____ State of Incorporation _____
Company Composition: ☐ Individual ☐ Partnership ☐ LLC ☐ C-Corporation ☐ Sub-Chapter S Corporation
Amount of Credit Desired \$ _____ Are Written Purchase Orders Required? _____ Is Merchandise for Resale? _____
Resale # (If for resale, please provide copy of Certificate) _____
Purchasing Agent _____ Phone #/Extension _____
Fax _____ Email _____
Accounts Payable Contact _____ Phone #/Extension _____
Fax _____ Email _____

2 Bank Information

Bank Name _____
Contact Person _____
Account # _____
Phone # _____
Fax # _____

3 Credit References

1. _____
Account # _____
Phone # _____
2. _____
Account # _____
Phone # _____
3. _____
Account # _____
Phone # _____

4 Acknowledgement

I/we hereby authorize Security Cameras Direct, any credit bureau or other investigative agency employed by Security Cameras Direct to make such inquiries as may be deemed necessary to investigate the references and sources pertaining to the establishment of credit and financial responsibility of the applicant. In consideration of the extension of credit by Security Cameras Direct to me/us, I/we agree to promptly pay all bills in accordance with the terms expressed on the invoice. I/we further agree that if the merchandise ordered shall remain unpaid past the due date, it shall bear interest at the rate of 1 1/2% per month until paid, which is an annual percentage rate of 18%. In the event that any suit or action is instituted to collect the money due on my/our account, whether principle or interest or both, I/we agree to pay, in addition to the amount owed, all legal fees and collection agency fees incurred. Further, I authorize Security Cameras Direct to charge any and all overdue outstanding debt to the following credit card. In the event of legal action, venue shall be in the County of Caldwell, State of Texas.

AGREED & ACKNOWLEDGED:

SIGNATURE _____
CREDIT CARD TYPE _____
NAME ON CARD _____
ACCT# _____
EXP. DATE _____

5 Guarantee

In regard to the following guarantee, "I" refers to the person making the guarantee, and "you" refers to Security Cameras Direct.

I guarantee that the Applicant/Customer will make all payments and pay all the other charges required under the credit agreement when they are due and will perform all other obligations under the credit agreement fully and promptly. I also agree that you may make other arrangements with the Applicant/Customer and will still be responsible for those payments and other obligations. You do not have to notify me with the Applicant/Customer defaults, I will immediately pay in accordance with the provisions of the credit agreement all sums due under the original terms of the credit agreement and will perform all other obligations of the Applicant/Customer under the credit agreement. I will reimburse you for all the expenses you incur in enforcing any of your rights against the Applicant/Customer or me, including all legal fees and collection agency fees. In the event of legal action, venue shall be in the County of Caldwell, State of Texas.

Name _____
Signature _____
Date _____

Multi-Camera Regulated Power Supplies

Professional Power

- ◆ 4, 9 or 16 Outputs
- ◆ Fully Regulated UL Listed
- ◆ Individual PTC Protection
- ◆ LED Power Indicator
- ◆ Top-Mounting Flange
- ◆ 4 Amp Supply Current 4 & 9
- ◆ 8 Amp Supply Current 16



PWR0400DC



PWR0900DC



PWR0160AC

12VDC 4 Camera Regulated UL Listed Power Supply
 24VAC 4 Camera Regulated UL Listed Power Supply
 12VDC 9 Camera Regulated UL Listed Power Supply
 24VAC 9 Camera Regulated UL Listed Power Supply
 12VDC 16 Camera Regulated UL Listed Power Supply
 24VAC 16 Camera Regulated UL Listed Power Supply
 24VAC/12VDC 16 Camera Regulated UL Listed Power Supply
 12VDC 16 Camera 800mA/Ch Regulated UL Listed Power Supply

PWR0400DC \$39
 PWR0400AC \$39
 PWR0900DC \$49
 PWR0900AC \$49
 PWR0160DC \$69
 PWR0160AC \$69
 PWR0160DV \$89
 PWR1600MV \$89

AC & DC Power Supplies

Our High-Quality Class 2 Transformers Ensure Long Life

- ◆ UL Listed
- ◆ Class 2 Transformers
- ◆ Screw Terminals
- ◆ Center Pin Positive
- ◆ Green LED Indicator
- ◆ Fully Regulated
- ◆ 6' Cord



PWR2440



12VDC15AMP


5VDC 1000mA Regulated
 9VDC 300mA Regulated
 12VDC 500mA Regulated
 24VAC 20VA Fused UL
 24VAC 40VA Fused UL
 24VAC 50VA Fused UL
 12VDC 1.5A Switching UL
 12VDC 1000mA/24VAC 27.5VA
 12VDC 3.5A Switching UL
 Outdoor 24VAC 100 Volts Amps

PWR0005DC \$7
 PWR9300 \$7
 PWR0500DC \$9
 PWR2420 \$7
 PWR2440 \$8
 PWR2450 \$9
 12VDC15AMP \$25
 PWR1224MV2 \$25
 12VDC35AMP \$29
 WX10024UL \$79

Board Camera Power Supply

Power Your Cameras with Batteries

Battery Pack 8AA
 w/ Tab
 BPK0012A2 \$5



12V Rechargeable Battery

Complete System Battery & Charger

- ◆ 3500mA Gel Cell Battery
- ◆ 3"x2"x1" Size
- ◆ Smart Trickle Charge Mode



12-Volt 3.5AH Battery Kit GEL1000DC \$69

Accessories

Power Adapters

Make Your Install Quick & Easy

12" Male Power Lead

ADP1017M1 \$5

12" Female Power Lead

ADP1017F1 \$5

Male Power Plug

ADP1017M \$2.59

Female Power Plug


ADP1017F \$2.59



ADP1017F



ADP1017M



ADP1017M1

ADP1017F1

AC/DC Power Converter

- ◆ Input 20-28VAC or 16-30VDC
- ◆ Output 12VDC Regulated 800mA
- ◆ 24" Length
- ◆ Input Connect 2 Pin Terminal Block
- ◆ Output Connect 2.1 x 5.5 DC Plug

AC/DC 800mA
 Regulated Converter
 CNV2412B \$12



Coaxial Surge Protector

Protection from Power Surges

Coaxial Surge
 Protector
 CSP1 \$29



Industrial-Grade Bulk Wire

Good-Quality Wire Is Your First Line for a Clear Picture

All of our industrial-grade coaxial cables have 95% copper shielding and tough casings. All wire is supplied in a contractor-preferred pull box. The zip wire is ideal for running power and video simultaneously for a clean and easy install.

White 18 AWG 2 Conductor Wire 500'
 Black RG59 95% Copper Shield Wire 500'
 White RG59 95% Copper Shield Wire 500'
 CAT5E Wire 1000'
 White 18 AWG 2 Conductor Wire 1000'
 Black Siamese/Zip RG59/18-2 Wire 500'
 White Siamese/Zip RG59/18-2 Wire 500'
 Black RG59 95% Copper Shield Wire 1000'
 White RG59 95% Copper Shield Wire 1000'
 Black RG6 95% Copper Shield Wire 1000'
 White Siamese/Zip RG59/18-2 Wire 1000'
 Black Siamese/Zip RG59/18-2 Wire 1000'

182500W \$59
 RG59500B \$79
 RG59500W \$79
 CAT5E1KG \$99
 1821KW \$99
 RG59ZIP500B \$119
 RG59ZIP500W \$119
 RG591KB \$139
 RG591KW \$139
 RG61KB \$159
 RG59ZIP1KW \$219
 RG59ZIP1KB \$219

RG59ZIP1KB

RG61KB

RG591KB

1821KW

CAT5E1KG

Accessories

Twisted Pair Video Balun

Send Video up to 7,874'

With these low-cost baluns and receivers, you'll be able to use low-cost CAT5 wire for long-run video installations.

- ◆ Combine VTS1009 & VTS1010 for Power
- ◆ Receivers Have Impedance Matching
- ◆ Built-in Noise Filter for Clear Images

1,000' Twisted Pair Video Balun
 1,968' Twisted Pair 18" Cable Video Balun
 1,968' Twisted Pair Video Balun
 1,968' Twisted Pair Powered Video Balun
 Powered 4 Camera Twisted Pair Receiver
 3 Camera/Data Twisted Pair Receiver
 7,874' Twisted Pair Video Balun
 Active 4 Camera Twisted Pair Receiver
 1000' Twisted Pair 16 Port Passive Hub
 3280' Twisted Pair 16 In 32 Out Active Hub

VTS1016 \$10
 VTS1011 \$19
 VC1 \$19
 VTS1010 \$22
 VTS1009 \$39
 VTS1015 \$49
 VTS1005 \$65
 VTS1006 \$139
 VC1616P \$499
 VC1632A \$1499




Video Adapters

Connect Different Devices with Ease

All of our connectors are precision crafted to give you a tight video connection. They make it easy to connect different devices.

BNC T Adapter
 RG-59BNC Twist Adapter
 RG-59 BNC Male Crimp
 RCA Male to BNC Female
 Female to Female BNC
 BNC Male to RCA Female
 BNC Male to RCA Male
 Female to Female RCA
 Female RCA to Female BNC
 RG-6 Male Crimp BNC
 RJ45 8P8C 10pc Pack
 RJ45 Rubber Boot 10pc Pack

ADP1000 \$1.50
 ADP1001 \$1.50
 ADP1002 \$1.50
 ADP1003 \$1.50
 ADP1004 \$1.50
 ADP1005 \$1.50
 ADP1006 \$1.50
 ADP1009 \$1.50
 ADP1010 \$1.50
 ADP1019 \$1.50
 ADP1020 \$9
 ADP1021 \$6



[30]

SECURITY CAMERAS
DIRECT

WWW.SCDLINK.COM • 1-800-316-6027

BNC to RCA Video/Power Cable

Industrial Grade for Serious CCTV Installations

CBL0050EW

CBL0100E

CBL0100HD

25' White Video/Power Cable
25' Black Video/Power Cable
50' Black Video/Power Cable
100' Black Video/Power Cable
100' Black HD Video/Power Cable
150' Black HD Video/Power Cable
200' Black HD Video/Power Cable

CBL0025EW \$16
CBL0025E \$16
CBL0050E \$21
CBL0100E \$26
CBL0100HD \$35
CBL0150HD \$40
CBL0200HD \$45

BNC to BNC Cables

RG59U Cable with Gold Center Pins

CBL6BNC

3' BNC to BNC RG59U CBL3BNC \$3
6' BNC to BNC RG59U CBL6BNC \$5
25' BNC to BNC RG59U CBL25BNC \$12
50' BNC to BNC RG59U CBL50BNC \$17
100' BNC to BNC RG59U CBL100BNC \$19

CCTV Warning Signs

Excellent Way To Discourage Mischief

CCTVSIGNMD 9" x 11"

CCTVSIGNLG 11" x 18"

STK1000 5" x 5"



Medium Warning Sign CCTVSIGNMD \$9
Large Warning Sign CCTVSIGNLG \$14
Warning Sticker STK1000 \$1.50

Cable Tester/Crimp Tool

Save Time & Money with the Right Tools



- ◆ Easy-to-Use Twist-on BNC Tool
- ◆ Cable Conductivity Tester
- ◆ 4 PCS Twist-on BNC

Twist-on BNC Tester Kit TLK1004 \$19

CCTV Tool Kits

These Kits Have Everything You Need

TLK1000

- ◆ Heavy-Duty RJ45 Crimping Tool
- ◆ RJ45 CAT5 Cable Stripper
- ◆ Terminal Block Punch Down Tool
- ◆ 50) RJ45 (8P8C) Plugs
- ◆ 50) RJ45 Colored Protective Caps
- ◆ Custom-Made ABS Protective Case

Twisted Pair Tool Kit

TLK1000 \$59

TLK1002

- ◆ EZ Quick Cable Stripper
- ◆ Contractors Screwdriver
- ◆ Multifunction Cable Tester
- ◆ Heavy-Duty Cable Cutters
- ◆ Professional Coaxial Cable Crimper
- ◆ 10 Each RG59, RG6 & RG11 Connectors

Professional CCTV Tool Kit

TLK1002 \$99



Cable Strippers

Make Your Installation Easy



Coax Cable Stripper STR1001 \$12
Coax Crimper P/P PYAC3 \$35
RJ45 Crimp Tool CRP1000 \$19

CALL 830-401-7000 • FAX 830-875-9010

SECURITY CAMERAS
DIRECT

[3 1]

Advanced Triplex H.264 Networkable DVRs

Increase Recording Capacity & Image Quality



- ◆ H.264 Compression Saves Hard Drive Space & Transfer Data Faster
- ◆ 30FPS 720 x 480 up to 120FPS 360 x 240 (DVR4050N)
- ◆ 60FPS 720 x 480 up to 240FPS 360 x 240 (DVR8050N & DVR1650N)
- ◆ 1- SATA HD (DVR4050N) & 2- SATA HD (DVR8050N & DVR1650N)
- ◆ Built-in Motion Detection Grid & Multiple Alarm Inputs with 1 Output
- ◆ RS-485 Protocol Controls Pelco P/D, AD422, Fastrax2, DC and Panasonic
- ◆ VGA & BNC Monitor Outputs & RCA Audio Inputs/Output
- ◆ Real Time Refresh Rate on All Models
- ◆ Schedule, Alarm & Motion Detection Recording Modes
- ◆ USB2.0 Supports Thumb Drive or USB Mouse
- ◆ Free CMS & MAC Software w/ 64Ch Display
- ◆ IR Remote Control Included
- ◆ Compact Size 12"W x 2.25"H x 14.5"D

4Ch Networkable DVR No HD	DVR4050N	\$349
4Ch Networkable DVR 250GB	DVR4050N250	\$489
4Ch Networkable DVR 500GB	DVR4050N500	\$629
4Ch Networkable DVR 750GB	DVR4050N750	\$749
4Ch Networkable DVR 1TB	DVR4050N1000	\$849
8Ch Networkable DVR No HD	DVR8050N	\$549
8Ch Networkable DVR 500GB	DVR8050N500	\$829
8Ch Networkable DVR 750GB	DVR8050N750	\$929
8Ch Networkable DVR 1TB	DVR8050N1000	\$1049
16Ch Networkable DVR No HD	DVR1650N	\$699
16Ch Networkable DVR 500GB	DVR1650N500	\$979
16Ch Networkable DVR 750GB	DVR1650N750	\$1079
16Ch Networkable DVR 1TB	DVR1650N1000	\$1199

4 Channel DVR w/ USB Offload

Full-Feature DVR for under \$100!

- ◆ Modified MJPEG Compression Duplex
- ◆ 60FPS Recording Frame Rate
- ◆ BNC Inputs/Output & USB Offload
- ◆ Built-in Motion & Time/Date
- ◆ RCA Audio Input and Output
- ◆ Dimensions 8.6"W x 8.9"D x 1.8"H



4Ch MJPEG DVR w/USB No HD	DVR4010USB	\$99
4Ch MJPEG DVR w/USB w/ 250GB	DVR4010USB250	\$249
4Ch MJPEG DVR w/USB w/ 500GB	DVR4010USB500	\$399
4Ch MJPEG DVR w/USB w/ 750GB	DVR4010USB750	\$479



DVRs

4 Ch Real-Time MPEG-4 DVR

View Your Home or Office from Anywhere in the World

- ◆ Full Pentaplex Real-Time MPEG-4 Recording
- ◆ 4 Looping Video Inputs & 1 Audio Input
- ◆ 720 x 480 Frame Resolution w/30 IPS
- ◆ Remote Notification via E-mail
- ◆ View Live Video via Web Browser 5 Users
- ◆ Smart Motion Detection 16x12 Grid Overlay
- ◆ PTZ Control Pelco-D Protocol



4Ch MPEG-4 DVR No Hard Drive	DVR4017N	\$199
4Ch MPEG-4 DVR w/250GB HDD	DVR4017N250	\$349
4Ch MPEG-4 DVR w/500GB HDD	DVR4017N500	\$499



[3 2]

SECURITY CAMERAS
DIRECT

WWW.SCDLINK.COM • 1-800-316-6027

Advanced Triplex H.264 Networkable DVRs w/DVD Burner

USB or Built-In DVD Burner For Easy Offload!

- ◆ H.264 Compression Saves Hard Drive Space & Transfer Data Faster
- ◆ 30FPS 720 x 480 up to 120FPS 360 x 240 (4Ch)
- ◆ 60FPS 720 x 480 up to 240FPS 360 x 240 (8Ch & 16Ch)
- ◆ 1- SATA HD (4Ch) & 2- SATA HD (8Ch & 16Ch)
- ◆ VGA & BNC Monitor Outputs & RCA Audio Inputs/Output
- ◆ Real Time Refresh Rate on All Models
- ◆ Schedule, Alarm & Motion Detection Recording Modes
- ◆ USB2.0 Supports Thumb Drive or USB Mouse
- ◆ Free CMS & MAC Software w/ 64Ch Display
- ◆ IR Remote Control Included
- ◆ Compact Size 12"W x 2.25"H x 14.5"D
- ◆ Built-in Motion Detection Grid & Multiple Alarm Inputs with 1 Output
- ◆ RS-485 Protocol Controls Pelco P/D, AD422, Fasttrax2, DC and Panasonic



4Ch Networkable DVR w/DVD Burner	DVR4050NDVD250	\$589
4Ch Networkable DVR w/DVD Burner	DVR4050NDVD500	\$729
4Ch Networkable DVR w/DVD Burner	DVR4050NDVD1000	\$949
8Ch Networkable DVR w/DVD Burner	DVR8050NDVD500	\$929
8Ch Networkable DVR w/DVD Burner	DVR8050NDVD1000	\$1149
8Ch Networkable DVR w/DVD Burner	DVR8050NDVD1500	\$1399
16Ch Networkable DVR w/DVD Burner	DVR1650NDVD500	\$1079
16Ch Networkable DVR w/DVD Burner	DVR1650NDVD1000	\$1299
16Ch Networkable DVR w/DVD Burner	DVR1650NDVD1500	\$1569

*Get more
recording time
without sacrificing
video quality!*

4 Channel H.264 Networkable DVR

Increase Recording Time Without Reducing Video Quality

- ◆ H.264 Real-Time Recording
- ◆ 352 x 240 120FPS to 704 x 480 30FPS
- ◆ Video Motion Detection w/ 16 x 12 Grid
- ◆ Alarm Inputs & Output
- ◆ VGA & BNC Monitor Outputs
- ◆ Quick Search Date/Time, Alarm & List
- ◆ Auto E-mail of Alarm Events
- ◆ 2X Digital Zoom Live & Playback
- ◆ USB 2.0 or Network Offload
- ◆ RS-485 PELCO-D/P Protocol



4 Ch H.264 Networkable DVR No HD	DVR4060N	\$279
4 Ch H.264 Networkable DVR w/250GB	DVR4060N250	\$399
4 Ch H.264 Networkable DVR w/500GB	DVR4060N500	\$549
4 Ch H.264 Networkable DVR w/750GB	DVR4060N750	\$689
4 Ch H.264 Networkable DVR w/1TB	DVR4060N1TB	\$819

4 Camera Mobile DVR

Records 670 Hours with 250GB

- ◆ MJPEG 30FPS Record Rate
- ◆ 4 BNC Video Inputs & 1 Out
- ◆ RCA Audio Input & Output
- ◆ 12VDC Output
- ◆ USB2.0 Offload
- ◆ Anti-Shock Mounting Base
- ◆ Uses 2.5" SATA Hard Drives
- ◆ 9-32 Volts DC @ 5A
- ◆ 6.5" W x 5.3" H x 10.2" L
- ◆ Schedule or Motion Recording
- ◆ Software & IR Remote Included



4Ch Mobile DVR No HD	DVR4000M	\$299
4Ch Mobile DVR 250GB	DVR4000M250	\$469
4Ch Mobile DVR 500GB	DVR4000M500	\$599



CALL 830-401-7000 • FAX 830-875-9010

SECURITY CAMERAS
DIRECT

[3 3]

Professional LCD Monitors

VGA, BNC Video, HDMI & Audio Inputs



- ◆ Audio Input
- ◆ OSD Control
- ◆ Up to 1280 x 1024 Resolution
- ◆ Up to 1000:1 Contrast Ratios
- ◆ HDMI Inputs
- ◆ Super Fast 5ms Response Time
- ◆ VESA Compliant
- ◆ Connect via VGA & BNC Composite Video



15" LCD High-Grade Monitor	LCD1500	\$419
17" LCD High-Grade Monitor	LCD1700	\$519
19" LCD High-Grade Monitor	LCD1900	\$649

LCD CCTV Monitors

DVI, BNC, VGA, S-Video & Audio Inputs



- ◆ Audio Input
- ◆ OSD Control
- ◆ Up to 1280 X 1024 Resolution
- ◆ Up to 1000:1 Contrast Ratios
- ◆ Super Fast 5ms Response Time
- ◆ Connect Via DVI, VGA, BNC & S-Video Input
- ◆ VESA Compliant



15" LCD CCTV Monitor	LCD1510	\$279
17" LCD CCTV Monitor	LCD1710	\$329
19" LCD CCTV Monitor	LCD1910	\$369

Monitors

Public View Monitor

Displays Video & Static Advertising !



- ◆ 20.1" TFT-LCD
- ◆ 400:1 Contrast
- ◆ 470 LOR Sony HAD Camera
- ◆ 3 Video Outputs
- ◆ Remote Control
- ◆ Built-in Motion Detector

20" Public View Monitor
w/470 LOR Camera
PV20MHR \$1099

TOSHIBA Monitor

450 Lines of Resolution



- ◆ Blackstripe II Technology High Picture Quality
- ◆ Black Level Expander
- ◆ Digital Comb Filter for Enhanced Luminance
- ◆ Accepts Composite & Y/C Video
- ◆ Easy On-Screen Display Setup

19" Toshiba Color CCTV Monitor
CM1920A \$199

Pro Grade Monitors

High-Res Professional-Grade Monitors



- ◆ 1000 Resolution (B/W)
- ◆ 520 Resolution (Color)
- ◆ Audio Inputs & Volume Control
- ◆ S-Video Input (Color)
- ◆ Loop Through BNC Video In/Outputs

9" B/W CCTV Monitor	B9M	\$94
12" B/W CCTV Monitor	B12M	\$105
14" B/W CCTV Monitor	B14M	\$116
14"Clr CCTV Monitor	C14M	\$199
21"Clr CCTV Monitor	C21M	\$319

Monitor Brackets

Many Options Available To Save Space



LCDWMT



LCDTMT



LCDPMT



Ceiling Mount



Wall Mount

LCD Bracket	LCDWMT	\$25
Tilting LCD Bracket	LCDTMT	\$29
Swing Arm LCD Bracket	LCDPMT	\$55
9"-14" Ceiling Bracket	MMC914	\$49
14"-21" Ceiling Bracket	MMC1421	\$57
20"-29" Ceiling Bracket	MMC2029	\$89
9"-14" Dbl Arm Wall Bracket	MMW914H	\$49
14"-21" Wall Bracket	MMW1421	\$59
20"-29" Wall Bracket	MMW2029	\$89

[34]

SECURITY CAMERAS
DIRECT

Video to PC Converter

Use Your Existing PC-Monitor as a Security Monitor



CNV1001PC



- ◆ RCA Composite Video Input
- ◆ S-VHS 4-Pin Video Signal Input
- ◆ VGA 15-Pin 1024 x 768 Signal Input
- ◆ VGA 15-Pin 1024 x 768 Signal Output
- ◆ Video Image Placement Adjustment
- ◆ Includes Power Supply & VGA Cable

CNV1002PC



Analog Video to PC Converter CNV1002PC \$49
Digital Video to PC Converter CNV1001PC \$99

2.5" TFT-LCD Service Monitor

Small, Portable and Hands-Free Operation



- ◆ 2.5" TFT-LCD Monitor
- ◆ Color & Brightness Controls
- ◆ Adjustable Velcro Strap
- ◆ Built-in Li-Ion Rechargeable Battery
- ◆ Charger Included
- ◆ 3' RCA/BNC Video Cable Included
- ◆ Size Is only 3.4"W x 2.5"H



TFT-LCD Service Monitor LCD0250SM \$149

3.5" Handheld Service Monitors

Choose the Best Picture with the Selectable Lens Version!

LCD0350LC

- ◆ 3.5" TFT-LCD Active Matrix Screen
- ◆ Color 420 LOR Panasonic 1/3" CCD
- ◆ 12V Input & BNC Adapter Included
- ◆ Built-in 4, 6, 8, 12, & 16mm Lens
- ◆ Dimensions 3.4"W x 1.9"L x 6.1"H
- ◆ Includes Protective Case
- ◆ Uses 6 AA Batteries (Not Included)



LCD0350

- ◆ 480 x 234 Resolution
- ◆ 3.5" TFT-LCD Active Matrix Screen
- ◆ Perfect for CCTV Installers to Focus Lens
- ◆ 12VDC Input & Y-Power Adapter Included
- ◆ Includes Protective Case
- ◆ Dimensions 3.3"W x 2.7"L x 5.9"H
- ◆ Includes Video Connection Cables
- ◆ Uses 6 AA Batteries (Not Included)



Selectable Lens Service Monitor LCD0350LC \$299
Handheld Service Monitor LCD0350 \$199

5.6" TFT-LCD Monitor

Perfect for Use as a Service Monitor



- ◆ 5.6" Active Matrix TFT Monitor
- ◆ 960 x 234 Resolution & 200 CD/m2 Brightness
- ◆ Dual Video and Audio Composite Inputs
- ◆ Built-in 2-Channel A/V Input
- ◆ NTSC/PAL Switchable & 12VDC @ 400mA
- ◆ Kit Includes Rechargeable Battery & Charger
- ◆ Protective Case and Neck Strap Included
- ◆ Dimensions 6.3"W x 5.2"H x 1.4"D

5.6" TFT-LCD Monitor Kit LCD5600K \$219

4" TFT-LCD Service Monitor

Perfect for Outdoor Use



- ◆ 4" Active Matrix TFT Monitor
- ◆ 480 x 234 Resolution & 350 CD/m2 Brightness
- ◆ Looping Video and Audio Composite Inputs
- ◆ NTSC/PAL Switchable & 12VDC @ 400mA
- ◆ Runs on AA Batteries
- ◆ Kit Includes Rechargeable Battery & Charger
- ◆ Includes Sunshield, Protective Case & Arm Strap
- ◆ Dimensions 5.9"W x 4.1"H x 1.5"D

4" TFT-LCD Service Monitor 4SMKIT \$239

Mobile 7" Monitor

Amazing Value



- ◆ Active Matrix TFT-LCD Display
- ◆ Max Resolution 480 x 234 XGA
- ◆ Dimensions 5.3"H x 7"W x 1"D
- ◆ 400 CD/m2 Brightness
- ◆ Wireless Remote
- ◆ 300:1 Contrast Ratio
- ◆ 16.7 Million Colors
- ◆ Power 12VDC

7" LCD Monitor LCD7000 \$189

Multi-Frequency Scanner

Scans from 900MHz to 2.5GHz

- ◆ Frequency Response 900MHz-2520MHz
- ◆ Runs on 4AA Batteries (Not Included)
- ◆ 2.5" TFT Color Monitor
- ◆ 5-Volt Power Adapter
- ◆ 1 or 10 MHz Scan Search
- ◆ 2.9"W x 1.4"H x 4.7"L
- ◆ 2 SMA Antennas



Multi-Frequency Video Scanner & Monitor WVS1000 \$469

B/W or Color 1" Monitor

Handy & Effortless Camera Focusing



- ◆ 1" Active Matrix Liquid Crystal Display
- ◆ Resolution 320 x 240
- ◆ Pixel Count: 76,800
- ◆ Battery Life Over 24 Hrs
- ◆ Weight (w/out Batteries): 3.5 oz.
- ◆ Dimensions 4.4" x 1.7" x 1.3"
- ◆ Includes Lanyard & Cables
- ◆ Rubber Eyepiece for Daylight Viewing



B/W 1" Service Monitor MNB1001 \$119
Color 1" Service Monitor MNC1001 \$239

CALL 830-401-7000 • FAX 830-875-9010

**SECURITY CAMERAS
DIRECT**

[3 5]

Mini Weatherproof IR Dome

Extra small IR dome for any environment.

- ◆ 550LOR 1/3" Sony Super HAD CCD
- ◆ 3.0mm Fixed Lens
- ◆ Day/Night Capability
- ◆ 3 Axis Adjustment
- ◆ 10- 850nm IR LEDs
- ◆ 30' IR Range
- ◆ Tough All-Metal Housing
- ◆ 12VDC @ 120mA
- ◆ 1.88 W x 1.45 H x 2.16 D



540LOR Mini IR Dome
CDC3061IR \$169

Mobile

Mini Wide-Angle Camera

Only an Amazing 0.74" In Diameter

- ◆ 380 Lines of Resolution 1/3" CCD
- ◆ 0.74" Diameter x 0.9" Depth Form Factor
- ◆ Built-in BLC, AWB & Moldable Bracket
- ◆ 0.3 Lux @ F1.2 Low-Light Rating
- ◆ 150° Wide-Angle Field of View
- ◆ 12 VDC @ 65mA
- ◆ S/N Ratio 48dB AGC Off
- ◆ Vibration Resistant
- ◆ Weatherproof



Mini Wide-Angle Camera
CMC5021WA \$139

Mobile 7" Monitor

Amazing Value

- ◆ Active Matrix TFT-LCD Display
- ◆ Max Resolution 480 x 234 XGA
- ◆ Dimensions 5.3"H x 7"W x 1"D
- ◆ 400 CD/m2 Brightness
- ◆ Wireless Remote
- ◆ 300:1 Contrast Ratio
- ◆ 16.7 Million Colors
- ◆ Power 12VDC



7" LCD Monitor
LCD7000 \$189



[36]

SECURITY CAMERAS
DIRECT

Ceiling Mount Wedge Cameras

Heavy-Duty Weatherproof/Vandalproof Case

- ◆ 420 LOR (WA)
- ◆ 550 LOR Sony CCD (WA2)
- ◆ 0.1 Low Light Lux @ F2.0
- ◆ Size 2.4" W x 2.2" H x 3.3" L
- ◆ Wide-Angle 120° Field of View Lens
- ◆ 8 Infrared LEDs w/30' Nighttime Range
- ◆ Tough IP67 Rated Die-Cast Aluminum Housing
- ◆ Power 12 VDC @ Only 475mA



Color 420 LOR Ceiling Mount Wedge Camera
CVP1012WA \$159

Color 550 LOR Ceiling Mount Wedge Camera
CVP1012WA2 \$179

Weatherproof IR Camera

Wide 130-Degree Field of View

- ◆ 400 Lines of Resolution 1/4" CCD
- ◆ 0.0 Lux with 6 IR LEDs
- ◆ S/N Ratio 48dB AGC Off
- ◆ 2.2mm Low-Distortion Lens
- ◆ 130° Wide-Angle Field of View
- ◆ Built-in BLC, AWB & AGC
- ◆ 0.98"D x 1.49" Depth Form Factor
- ◆ Powered by 12 VDC @ 65mA
- ◆ Adjustable Mirror Mode
- ◆ Great for Rear-View Applications



Wide-Angle D/N Camera
CMC5024IR \$129



12VDC Mobile Time Lapse VCR

Record 30 Hours Real Time & 960 Hours Time Lapse



- ◆ 300 Lines of Resolution & 43dB S/N
- ◆ Real-Time 30-Hour Recording (T-160)
- ◆ 12VDC Power
- ◆ Auto Record Start-Up & Repeat Record
- ◆ Alarm Record & 20 Alarm Event Recall
- ◆ 4-Head Double Azimuth Scan
- ◆ Alarm I/O
- ◆ Time/Date Generator
- ◆ Alarm Index
- ◆ Wireless Remote Control



12VDC 960-Hr Mobile VCR **MVCR960 \$239**

WWW.SCDLINK.COM • 1-800-316-6027

Complete Mobile DVR System

starting at **\$799**

*Quick and easy to set up.
USB offload!*



Kit Includes:

1-CVP1012WA
1-DVR4000M250
1-CBL0025E
1-LCD7000
1-MIC1000
2-ADP1017M1
1-ADP1006

Upgrades:

Add-on 420 Line Camera **\$159**
550 Line Camera **\$179**
500GB Hard Drive **\$130**



12VDC Mobile 4 Camera DVR

Now w/GPS Overlay!

The DVR4001 can fit into your squad car or bus with ease. With the ability to record 24 hours of real time video/audio, your department will be able to record a whole days worth of video. Advanced features include on screen setup, video motion detection, time/date search, freeze frame, and an IR remote control. Super fast forward x2, x4 and x8 will allow you to find the critical video evidence in a snap.

- ◆ 120 FPS Real Time Recording
- ◆ ASIC & Intelligent Motion Detector
- ◆ Multi-Screen Monitoring
- ◆ Password Protection & OSD
- ◆ Digital Zoom & Alarm Recording
- ◆ 12VDC Operation



4 Cch Mobile DVR
4 Cch Mobile DVR w/Audio
Shockproof Bracket

DVR4001MB **\$229**
DVR4001MA **\$249**
CBR4023GPS **\$39**



CALL 830-401-7000 • FAX 830-875-9010

**SECURITY CAMERAS
DIRECT**

[37]

Super Small H.264 DVR

High Resolution Recording

- ◆ H.264 Compression @ 30FPS 704 x 480
- ◆ Records Schedule, Alarm or Motion Detection
- ◆ Built-in OSD & Time/Date Stamp
- ◆ 16GB Max SD Card (Not Included)
- ◆ IR Remote Control
- ◆ 1.8"W x 3.6"L x .70"D
- ◆ 12VDC @ 150mA



Compact H.264 1CH DVR MPE1023BD \$199

Micro DVRs

Tactical Video Equipment

Perfect for Cell Extractions and Entry Teams

- MPE1017
- ◆ 30GB HDD MPEG-4 @ 30FPS
- ◆ 450 LOR CCD & 0.2 Lux & 80° FOV
- ◆ 3.5" TFT Monitor 320 x 240
- ◆ 8 Channel RX 1.2GHz to 2.4GHz
- ◆ Size 5.1" W x 3.2" H x 1.02" D



- CMC5026TH
- ◆ 460 LOR Sony Super HAD CCD
- ◆ 0.5 Low Light Lux
- ◆ Built-in Manual Start/Stop Switch



460 LOR Tactical Head Camera	CMC5026TH \$299
Micro Tactical DVR	MPE1017 \$489
Wireless DVR Receiver	WVS1017 \$195
Wired Remote Control	CNT1017 \$59

MPEG-4 A/V Recorder/Player

Record & Play Back up to 80 Hours of Digital Video

- ◆ 40GB Hard Drive Records 80 Hours A/V
- ◆ Time/Date Stamp
- ◆ Offload to USB or SD (Not Included)
- ◆ Video Motion Detection Recording
- ◆ 3.5" Digital Interface LCD Monitor
- ◆ Includes Built-in Speakers
- ◆ Size 5.7"W x 3.2"H x 1"D
- ◆ 3.7V 2200mAh Battery



3.5" Portable Video Recorder 40 GB MPE1012 \$529

Micro Pocket DVR

Record up to 400 Minutes of Audio/Video

- ◆ 30 FPS 352 x 240 LOR Recording
- ◆ MPEG-4 Video Recording
- ◆ Supports 1 Channel of Audio
- ◆ Time & Date Stamp
- ◆ Runs on 2 AA Batteries (Not Included)
- ◆ Small 2.5" W x 3.5" H x 1.1" D
- ◆ Offload to SD Card (Not Included)



Mini Portable Security DVR MPE1009 \$189

MPEG-4 A/V Recorder/Player

Record & Playback Digital Video



- ◆ Tiny 3.1" x 2.0" x 0.85"
- ◆ Superhigh-Res 720 x 480 @ 30 FPS
- ◆ 2.5-Inch TFT LCD Monitor (MPE1010)
- ◆ Date & Time Stamp W/ Watermark
- ◆ Includes Charger and 2 Li-Ion Batteries
- ◆ Record 65 Min. per Gig on SD Card (Not Included)



Mini DVR MPE1011 \$299
Mini DVR w/2.5" LCD MPE1010 \$369

[38]

SECURITY CAMERAS
DIRECT

MPEG-4 Portable DVR


Record & Playback Up to 40Hrs of Digital Video



- ◆ 40GB Hard Drive
- ◆ Power 12VDC
- ◆ Small 5.1" x 3.3" x 1.29"
- ◆ Supports MPEG-4, MP3, JPEG, G.726
- ◆ 3.5" LCD 480 x 234 Pixel Resolution
- ◆ Built-In Microphone & 64mb SDRAM



MPEG-4 DVR w/40GB Hard Drive
MPE1002 \$399



12VDC Mobile Time Lapse VCR

Record 30 Hours Real Time & 960 Hours Time Lapse



- ◆ 300 Lines of Resolution & 43dB S/N
- ◆ Real-Time 30-Hour Recording (T-160)
- ◆ 12VDC Power
- ◆ Auto Record Start-Up & Repeat Record
- ◆ Alarm Record & 20 Alarm Event Recall
- ◆ 4-Head Double Azimuth Scan
- ◆ Alarm I/O
- ◆ Time/Date Generator
- ◆ Alarm Index
- ◆ Wireless Remote Control



12VDC 960-Hr Mobile VCR
MVCR960 \$239

1280-Hr Time-Lapse VCR

Record & Recall up to 1280 Hours of Video or 40 Hrs Real Time



- ◆ 40-Hour Real-Time Recording with 20 Fields/sec.
- ◆ High-Quality Audio Recording in Real-Time Mode
- ◆ Alarm Scan, Daily/Weekly, and Repeat Record
- ◆ 350 LOR B/W, 300 Lines in Color
- ◆ 1280 Hours in Time-Lapse Mode
- ◆ On-Screen Display w/ Multi-Location Titling
- ◆ Includes Wireless Remote & Power Cable
- ◆ Full 1-Year Direct Replacement Warranty Heads
- ◆ Ultra Speed Rewind



1280-Hr Time-Lapse CCTV VCR 40HR Real-Time
TLR1283 \$179

VCRs

Video Security Web Server

Remotely View Your Business or Loved Ones from Anywhere!



- ◆ MPEG-4 / JPEG Compression
- ◆ Supports Video & Audio Recording
- ◆ Control Your PTZ with Built-in RS-485 Port
- ◆ Network with Your Ethernet (10/100 Base-T)
- ◆ 3 Layers of Password Protection Keeps Your Network Secure
- ◆ Automatic E-mail of Alarm Events & Assigned Static IP Address
- ◆ Embedded Firmware Allows Connection via Internet or Network

1 Channel MPEG-4 Video Server VWS1002 \$89

VCR/DVR/Video Tape Lockboxes

Secure & Discourage Tape & Hard-Drive Theft



BW224



LBX1000TP

- ◆ 41"H x 8.5"W x 6.25"D (LBX1000TP)
- ◆ 20"W x 8"H x 24"D (BW224)
- ◆ Made from High Quality Steel
- ◆ Lock & Keys included

31-Day Tape Storage Cabinet LBX1000TP \$179
DVR Lockbox BW224 \$169

A/V Modulators

Watch Your CCTV Camera on a TV



- ◆ View Video on TV 14-69
- ◆ View Video on CATV 44-134
- ◆ Input/Output Video & Stereo Audio
- ◆ Digital Channel Display
- ◆ Power Adapter Included

Digital TV/CATV Modulator
MDL1000 \$69

Quad Processors

View 4 Cameras Simultaneously on One Monitor



- ◆ 30 FPS Refresh Rate & PAL/NTSC
- ◆ Full-Screen/Quad/Auto Switch Display
- ◆ On-Screen Display with Title/Date (Color)
- ◆ Adjustable Dwell Time 1-99s & Freeze (Color)
- ◆ Power 12VDC @ 500mA

B/W Quad Processor
QAB1005 \$35
Color Quad Processor
QAC1004 \$88
Quad Power Supply
PWR0500DC \$9

Multi Camera Video Switchers

Connect and View 4 or 8 Cameras



- ◆ User-Adjustable Dwell Time 1-45 Seconds
- ◆ Your Choice of 4 or 8 Cameras
- ◆ You Can Bypass or View Any Camera
- ◆ Output Video to Your Monitor, VCR or DVR
- ◆ Powered by 110V
- ◆ Signal Bandwidth 2MHz, +/-3dB

4 Channel Video Switcher
SWT1004 \$29
8 Channel Video Switcher
SWT1008 \$39

CALL 830-401-7000 • FAX 830-875-9010

SECURITY CAMERAS
DIRECT

[3 9]

PIR Camera w/ Built-in DVR

All-in-One Camera & DVR

- ◆ 420 LOR 1/3" Sony CCD
- ◆ Built-in Motion Detection DVR
- ◆ Record AVI or JPEG Files
- ◆ 13 IR LEDs @ 850nm 25' Range
- ◆ 3 Hr Internal Li-Ion Rechargeable Battery
- ◆ Includes 110V Power Supply
- ◆ Includes Mini Alarm Siren & IR Remote
- ◆ 2GB SD Card Max (Not Included)



PIR IR Camera w/ Built-in DVR PIR1003DVR \$249

Hidden Video

PIR Camera

Motion Detection

- ◆ 350 LOR (PIR1001C)
- ◆ 520 LOR (C520PIR)
- ◆ 1.0 Lux
- ◆ 3.7mm 67.5°
- ◆ 4 Time Settings 10, 30, 120 Sec & On
- ◆ Fully Functional
- ◆ Works With Existing Security Systems
- ◆ PIR Detection Range 110° @ 30'
- ◆ Power 12VDC @ 150mA
- ◆ Mount Included
- ◆ Hardwired



Functional PIR Camera PIR1001C \$99
Functional Hi-Res PIR Camera C520PIR \$139
12 VDC Regulated Power Supply PWR0500DC \$9

Exit Sign Camera

Great for Public Buildings

- ◆ 420 Lines of Resolution B/W
- ◆ 380 Lines of Resolution Color
- ◆ 470 LOR (D/N Version)
- ◆ 480 Lines of Resolution Hi-Res
- ◆ 2.4 GHz Wireless 700' Range LOS
- ◆ Fully Functional Exit Sign
- ◆ Receiver Included w/ Wireless Models



B/W Exit Camera Hardwired	CVB1017HW	\$219
B/W Wireless Exit Camera	CVB1017	\$319
Clr Exit Camera Hardwired	CVC1017HW	\$270
Clr Hi-Res Exit Camera Hardwired	CVC1017HW2	\$310
Clr Wireless Exit Camera	CVC1017	\$400
Clr Hi-Res Wireless Exit Camera	CVC1017WL2	\$445
D/N 470 LOR Wireless Exit Camera	CVC1017DN2	\$475

110V/Telephone Plug Camera

Perfect for Residential/Office Use!

- ◆ 380 LOR Sony CCD (CVC1064HW)
- ◆ 470 LOR (D/N Version)
- ◆ 0.5 Lux Color
- ◆ 0.01 Lux D/N
- ◆ FCC Part-15 700' Wireless TX LOS
- ◆ Lens 3.6mm w/80° Field of View



Hardwired 110V Outlet Camera	CVC1064HW	\$139
Hardwired Phone Outlet Camera	CVC1065HW	\$139
Wireless D/N 110V Outlet	CVC1064DN2	\$289
Wireless D/N Phone Outlet	CVC1065DN2	\$289

Motion-Activated Camera

300W Superbright Floodlight

- ◆ 380 LOR Sharp CCD
- ◆ 470 LOR Sharp CCD
- ◆ 0.1 Lux @ F2.0 Low-Light Rating
- ◆ 3.6mm 85° Field of View Mini Lens
- ◆ 36' PIR Detection
- ◆ Automatic Electronic Shutter
- ◆ Power AC 110 & 300W Light Load
- ◆ Adjustable Time, Lux, and Sensitivity



380 LOR Floodlight Camera	CVC1059HW	\$119
470 LOR Floodlight Camera	CVC1059HW2	\$159

Covert Loudspeaker Camera

Just Point the Speaker at Your Target

- ◆ 420 Lines of Resolution B/W Version
- ◆ 380 Lines of Resolution Color
- ◆ 0.25 Lux (CVB1051) @ F2.0
- ◆ 0.3 Lux (CVC1051) @ F2.0
- ◆ All Models Use a 3.6mm 78° FOV
- ◆ Automatic Electronic Shutter
- ◆ Fully Functional Speaker
- ◆ Power 12VDC @ 150mA



B/W Speaker Camera	CVB1051HW	\$77
Color Speaker Camera	CVC1051HW	\$155
Color Hi-Res Speaker Camera	CVC1051HW2	\$169

WARNING: law regarding audio/video surveillance & transmission

Any conversation between individuals is private, unless otherwise notified. In simple terms, this means that any overhearing or recording of a conversation is illegal, unless both parties are aware that it is being done. In addition, certain applications of video surveillance and transmission equipment will be subject to federal/state/local laws. It is suggested that you consult with your attorney and become fully aware of the federal/state/local laws in this regard.

Industrial Wall Clock

Great for Warehouses and Schools

- ◆ 420 Lines of Resolution B/W Version
- ◆ 380 Lines of Resolution Color
- ◆ 470 Lines of Resolution Day/Night
- ◆ 480 Lines of Resolution Hi-Res
- ◆ 2.4 GHz Wireless 700' Range LOS
- ◆ Includes 12VDC Power Adapter
- ◆ Fully Functional Industrial Wall Clock



B/W Hardwire Clock Camera
B/W Wireless Clock Camera
Clr Hardwire Clock Camera
Clr Hi-Res Hardwire Clock Camera
Clr Wireless Clock Camera
D/N Wireless Clock Camera

CVB1032HW \$86
CVB1032 \$186
CVC1032HW \$159
CVC1032HW2 \$189
CVC1032 \$259
CVC1032DN2 \$289

Contemporary Wall Clock

Great for Any Home or Office

- ◆ 480 Lines of Resolution Hi-Res
- ◆ 470 Lines of Resolution Day/Night
- ◆ 420 Lines of Resolution B/W Version
- ◆ 380 Lines of Resolution Color
- ◆ 0.5 Lux Color or 0.05 Lux B/W
- ◆ Wide-Angle Pinhole Camera
- ◆ 4-Channel 700' Wireless TX LOS
- ◆ Includes 12VDC Power Adapter & Vid/Pow Cables
- ◆ Fully Functional Residential Wall Clock



B/W Hardwire Clock Camera
Clr Hardwire Clock Camera
Clr Hi-Res Hardwire Clock Camera
B/W Wireless Clock Camera
Clr Wireless Clock Camera
D/N Wireless Clock Camera

CVB1026HW \$209
CVC1026HW \$259
CVC1026HW2 \$279
CVB1026 \$319
CVC1026 \$419
CVC1026DN \$439

Smoke Detector Camera

Up to 700' Wireless Range

- ◆ 420 LOR B/W
- ◆ 480 LOR Hi-Res
- ◆ Wireless Include Receiver
- ◆ Not a Safety Device
- ◆ Power Adapters & Cables
- ◆ 380 LOR Color
- ◆ 4 Ch. 700' LOS
- ◆ 0.05 Lux B/W
- ◆ 0.3 Lux Color
- ◆ 0.01 Lux D/N



B/W Hardwired Smoke Detector
B/W Wireless Smoke Detector
Clr Hardwired Smoke Detector
Clr Hi-Res Hardwired Smoke Det.
D/N Hardwired Smoke Detector
Clr Wireless Smoke Detector
Clr Hi-Res Wireless Smoke Detector
D/N Wireless Smoke Detector

CVB1027HW \$85
CVB1027 \$179
CVC1027HW \$185
CVC1027HW2 \$205
CVC1027DN \$229
CVC1027 \$249
CVC1027WL2 \$269
CVC1027DN2 \$299

Side View Smoke Detector Camera

Great for Most Covert Applications

- ◆ 420 LOR B/W
- ◆ 480 LOR Hi-Res
- ◆ 4 Ch. 700' LOS
- ◆ 0.18 Lux B/W
- ◆ 0.6 Lux Color
- ◆ 330 LOR Color
- ◆ 550 LOR HQ-1
- ◆ 3.6mm 78° FOV
- ◆ Not a Safety Device
- ◆ Power Adapters & Cables



B/W Smoke Detector
B/W 120° Smoke Detector
Clr Smoke Detector
Hi-Res Clr Smoke Detector
B/W Wireless Smoke Detector
B/W 120° Wireless Detector
Clr Wireless Smoke Detector
Hi-Res Clr Wireless Smoke Det.
HQ-1 550 LOR Smoke Detector

CVB1005ST \$29
CVB1005WA \$82
CVC1005ST \$119
CVC1005HR \$149
CVB1005WL \$141
CVB1005WLWA \$182
CVC1005WL \$219
CVC1005HRWL \$249
CVC1005HQ \$169

Weatherproof Electrical Box Camera

- ◆ 420 LOR B/W; 380 LOR Color; 480 LOR Hi-Res
- ◆ 0.5 Lux Color
- ◆ 0.05 Lux B/W
- ◆ All Models Use a 3.6mm 78° FOV
- ◆ 2.4GHz FCC Part-15 700' LOS Wireless
- ◆ Includes 12VDC Power Adapters
- ◆ Wireless Versions Have 2.4GHz Receiver



B/W Hardwired Electrical Box
Clr Hardwired Electrical Box
Clr Hi-Res Hardwired Electrical Box
B/W Wireless Electrical Box
Clr Wireless Electrical Box
Clr Hi-Res Wireless Electrical Box
D/N 470 Wireless Electrical Box

CVB1052HW \$99
CVC1052HW \$125
CVC1052HW2 \$179
CVB1052 \$145
CVC1052 \$219
CVC1052WL2 \$239
CVC1052DN2 \$259

Sprinkler Camera

Fits Into Any Setting

- ◆ 500 LOR Sony Super HAD (HW2)
- ◆ 420 LOR Sony Super HAD (HW)
- ◆ 0.5 Lux @ F2.0 Rating
- ◆ 4.3mm 72° FOV Pinhole Lens
- ◆ Power 12VDC @ 100mA
- ◆ Non to be Used as a Safety Device



Color 420 LOR Sprinkler Camera
CVC1063HW \$109
Color 500 LOR Sprinkler Camera
CVC1063HW2 \$129

Thermostat Camera

Blends into Office or Residential Locations

- ◆ 420 LOR B/W Version
- ◆ 380 LOR Color CCD
- ◆ 480 LOR Hi-Res
- ◆ 2.4 GHz Wireless 700' Range LOS
- ◆ Includes 12-VDC Power Adapters

(Thermostat is nonfunctional)



B/W Hardwired Thermostat	CVB1054HW	\$195
Clr Hardwired Thermostat	CVC1054HW	\$275
Clr Hi-Res Hardwired Thermostat	CVC1054HW2	\$295
B/W Wireless Thermostat	CVB1054	\$289
Clr Wireless Thermostat	CVC1054	\$369
Clr Hi-Res Wireless Thermostat	CVC1054WL2	\$389
D/N 470LOR Wireless Thermostat	CVC1054DN2	\$409

Computer Speaker Camera

Protect Your Computer & Documents While You're Away

- ◆ 420 Lines of Resolution B/W Version
- ◆ 380 Lines of Resolution Color CCD
- ◆ 480 Lines of Resolution Hi-Res
- ◆ 0.3 Lux 1/4" Color CCD
- ◆ 700' 2.4 GHz Wireless Range LOS
- ◆ Use 4 Wireless Units in 1 Office



Clr Speaker Hardwired	CVC1048HW	\$239
Clr Hi-Res Speaker Hardwired	CVC1048HW2	\$259
Clr Speaker Wireless	CVC1048	\$319
Clr Hi-Res Speaker Wireless	CVC1048WL2	\$339

Emergency Wall Light Camera

Keep a Close Eye on Your Facility and Daily Activities



- ◆ 420 Lines of Resolution (B/W)
- ◆ 380 Lines of Resolution (Color)
- ◆ 3.7mm Pinhole Lens w/ 72° FOV
- ◆ 0.05 Lux 1/3" CCD (B/W)
- ◆ 0.5 Lux 1/4" CCD (Color)
- ◆ 4 Channel 1000' Wireless LOS
- ◆ Not Intended for Use as a Safety Device



B/W Wireless Wall Light Camera	CVB1016	\$379
Clr Hardwired Wall Light Camera	CVC1016HW	\$315
Clr Wireless Wall Light Camera	CVC1016	\$479

Air Purifier Camera

License-Free Part-15 FCC Approved

- ◆ 420 LOR B/W Version
- ◆ 380 LOR Color
- ◆ 470 LOR (D/N Version)
- ◆ 0.5 Lux Color & 0.05 Lux B/W
- ◆ FCC Part-15 700' Wireless TX LOS
- ◆ Fully Functional Air Purifier



B/W Hardwired Air Purifier Cam	CVB1010HW	\$189
Clr Hardwired Air Purifier Camera	CVC1010HW	\$269
Clr Hi-Res Hardwired Air Purifier	CVC1010HW2	\$289
B/W Wireless Air Purifier Camera	CVB1010	\$315
Clr Wireless Air Purifier Camera	CVC1010	\$395
Clr Hi-Res Wireless Air Purifier	CVC1010WL2	\$419
470 D/N Wireless Air Purifier Cam	CVC1010WLDN	\$459

Hidden Video

Pencil Sharpener Camera

Up to 700' Wireless LOS Range

- ◆ 420 Lines of Resolution B/W Version
- ◆ 380 Lines of Resolution Color
- ◆ 0.5 Lux Color & 0.05 Lux B/W
- ◆ FCC Part-15 700' LOS Wireless TX
- ◆ Includes 12-VDC Power Adapters
- ◆ Nonfunctional Pencil Sharpener



B/W Hardwired Sharpener	CVB1024HW	\$85
Clr Hardwired Sharpener	CVC1024HW	\$165
Clr Hi-Res Hardwired Sharpener	CVC1024HW2	\$199
D/N Hardwired Sharpener	CVC1024DN	\$229
B/W Wireless Sharpener	CVB1024	\$199
Clr Wireless Sharpener	CVC1024	\$26
Color Hi-Res Wireless Sharpener	CVC1024WL2	\$299

[42]

SECURITY CAMERAS
DIRECT

CD/Radio Camera

Fully Functional AM/FM Radio, CD/Cassette Player

- ◆ 420 Lines of Resolution B/W
- ◆ 380 Lines of Resolution Color
- ◆ 0.5 Lux Color
- ◆ 0.05 Lux B/W
- ◆ FCC Part-15 700' Wireless TX LOS
- ◆ Wireless Versions Include Receiver
- ◆ Fully Functional Boom Box



Color Hardwired CD/Radio Camera	CVC1011HW	\$299
B/W Wireless CD/Radio Camera	CVB1011	\$369
Color Wireless CD/Radio Camera	CVC1011	\$439
D/N Wireless CD/Radio Camera	CVC1011DN	\$479

Cell Phone Camera w/ DVR

Covert High-Quality Recording

- ◆ 450 LOR Sony CCD 1.5 Lux Low Light Rating
- ◆ 4.3mm Lens @ 80 Degrees Field of View
- ◆ Covert Mode Built-in / 90Min Battery Life
- ◆ Storage 16Gb Micro SD Card (Not Included)
- ◆ 720 x 480 @ 18FPS or 640 x 480 @ 30FPS
- ◆ Includes Belt Holster
- ◆ LAW ENFORCEMENT ONLY



Cell Phone Camera w/ Hidden DVR
MP1022 Call For Best Price

Belt Camera w/ DVR

- ◆ 380 LOR
- ◆ Built-in DVR
- ◆ Lithium-Ion Rechargeable Battery
- ◆ Record upto 33 Hours
- ◆ Storage 1Gb Micro SD Card (Not Included)



Belt Camera
w/ Built-in DVR
CVC1066 \$299

Covert High Resolution Camera

Five Interchangeable Lens Covers

- ◆ 450 LOR 1/4" Sony CCD
- ◆ 0.2 Lux @ F1.2
- ◆ 4.3mm 80° Adjustable Pinhole Lens
- ◆ Built-in Battery Holder & Protective Case
- ◆ Wide-Range Voltage 9-12V 120mA
- ◆ 3 Buttons, Phillips Screw, Allen Head Screw



Covert Interchangeable Camera
CVC1038HW \$189

Functional Clock Radio Camera

- ◆ 420 LOR B/W
- ◆ 380 LOR Color
- ◆ 0.05 Lux B/W
- ◆ 0.5 Lux Rating Color
- ◆ Fully Functional
- ◆ FCC Part-15 700' Wireless LOS Range
- ◆ Wireless Versions Include Receiver
- ◆ Motion-Activated MPEG-4 DVR (CVC1067DVR)
- ◆ Camera Power Supplied Through Clock Power



CVC1067DVR



Clr Hardwired Clock Radio Camera CVC1025HW \$259
B/W Wireless Clock Radio Camera CVB1025 \$259
Clr Wireless Clock Radio Camera CVC1025 \$359
Clr Clock Radio Camera & 1GB DVR CVC1067DVR \$499
Clr LE Clock Radio Camera CVC1025L \$599

Hat Camera

Hang On Your Hat Rack
For Full Room Coverage

- ◆ 380 LOR (Color)
- ◆ 0.5 Lux Rating (Color)
- ◆ 420 LOR (B/W)
- ◆ 0.05 Lux Rating (B/W)
- ◆ 700' Transmission Range (Wireless)
- ◆ Includes Receiver (Wireless)



B/W Hardwired Hat Camera CVB1019HW \$85
Clr Hardwired Hat Camera CVC1019HW \$199
Clr Hi-Res Hardwired Hat Camera CVC1019HW2 \$229
B/W Wireless Hat Camera CVB1019 \$329
Clr Wireless Hat Camera CVC1019 \$415
Clr Hi-Res Wireless Hat Camera CVC1019WL2 \$439

CALL 830-401-7000 • FAX 830-875-9010

Hidden Camera Detectors

Protect against Invasion of Personal Privacy

Originally manufactured for the US Government and has recently been declassified. This is technology that required extensive development costs. This is not a gadget. This is the world's only effective tool to locate spy cameras. You can view and find cameras up to 50 feet away.

50 Foot Video
Camera Detector
SPY1001 \$125

SECURITY CAMERAS
DIRECT

[43]



Clock & Picture Frame

Conceal Your DVR & Camera

- ◆ 480 LOR CCD
- ◆ 470 LOR (D/N Version)
- ◆ 0.5 Lux Color & 0.01 (D/N Version)
- ◆ FCC Part-15 700' Wireless TX LOS
- ◆ Lens 3.6mm w/80° Field of View
- ◆ Store up to 400 Minutes (DVR Version)



Color 480 LOR Hardwired Frame Camera	CVC1056HW2	\$285
Color 480 LOR Wireless Frame Camera	CVC1056WL2	\$345
Color 480 LOR w/DVR Frame Camera	CVC1056DVR	\$445
Day/Night 470LOR Wireless Frame	CVC1056DN	\$385
Color 480 LOR Hardwired Clock Camera	CVC1058HW2	\$285
Color 480 LOR Wireless Clock Camera	CVC1058WL2	\$345
Color 480 LOR w/DVR Clock Camera	CVC1058DVR	\$445
Day/Night 470LOR Wireless Clock	CVC1058DN	\$385

Hidden Video

Color Backpack Camera

Carry Your Transmitter or DVR Discreetly in the Backpack

- ◆ 380 Lines of Resolution CCD
- ◆ Low Light 0.2 Lux Rating
- ◆ 3.6mm 70° Pinhole Lens
- ◆ Built-in Electronic Shutter
- ◆ Power 12-Volt DC @ 70mA
- ◆ Includes Battery Pack & Cables

Hardwired Backpack Camera

CVC1002HW \$199

Hi-Res Hardwired Backpack Camera

CVC1002HW2 \$239

D/N Hi-Res Wireless Backpack Camera

CVC1002DN2 \$329

D/N Hi-Res DVR Backpack Camera

CVC1002DNDVR \$449



Color Wireless Pen Camera

500' Wireless Range & Functional Pen

- ◆ 350 Lines of Resolution
- ◆ 1/4" CCD
- ◆ 1.0 Lux Rating
- ◆ 2.4GHz Transmission Frequency
- ◆ 500' Range Line of Sight
- ◆ Includes Batteries & Receiver




Color Wireless Pen Camera CVC1008 **\$239**

Concave Mirror Camera

Perfect for Convenience Stores



- ◆ 520 LOR 1/3" Sony Super HAD CCD
- ◆ 0.2 Lux @ F2.0 Low Light Rating
- ◆ 3.6mm 82° Field of View
- ◆ Concealed Covert Camera
- ◆ Cable-Concealed Bracket Included
- ◆ 12VDC @ 100mA



Color Concave Mirror Camera

CVC1062ST \$219

Weatherproof Rock/Stump Cameras

Lifelike Covert Cameras

- ◆ 420 Lines of Resolution 1/3" CCD
- ◆ 0.2 Low-Light Lux Rating @ F2.0
- ◆ 3.6mm 72° Pinhole Mini Lens
- ◆ 700-Foot Wireless LOS Range
- ◆ Internal Rechargeable Batteries
- ◆ Add a DVR for Only \$199

Color Stump Camera

B/W Wireless Stump Camera

Color Wireless Stump Camera

Color Small Rock Camera

B/W Wireless Small Rock Camera

Color Wireless Small Rock Camera

Color Large Rock Camera

B/W Wireless Large Rock Camera

Color Wireless Large Rock Camera

CVC6000	\$699
CVB6000WL	\$779
CVC6000WL	\$819
CVC6002	\$339
CVB6002WL	\$419
CVC6002WL	\$449
CVC6004	\$549
CVB6004WL	\$639
CVC6004WL	\$669

**Add a DVR
For Only \$199
on Select Models!**



[4.4]

SECURITY CAMERAS
DIRECT

WWW.SCDLINK.COM • 1-800-316-6027

Under H2O Viewing System

View Underwater Objects Down to 65'

- ◆ 380 Lines of Resolution B/W 1/3" CCD
- ◆ 0.00 Lux with 10 Infrared LEDs On
- ◆ Long-Life 12V Gel Cell Rechargeable Battery
- ◆ Weighted Drop Camera with Stabilizing Rudder
- ◆ 65' Heavy-Duty Underwater Video/Power Cable
- ◆ Waterproof Down to 65' Underwater
- ◆ 5" B/W Monitor with Sunshield
- ◆ 4.3mm 72° FOV Mini Lens
- ◆ Soft-Sided Protective Carrying Case



B/W Underwater Camera System
CUB1004 \$129

Wireless Inspection Camera w/LCD

Looks into Dark & Hard-to-Reach Spaces



- ◆ 2.4" TFT-LCD Wireless Monitor
- ◆ 712 x 486 Pixels (Camera)
- ◆ 2 Built-in Adjustable Xenon LED Lights
- ◆ Camera .70" Diameter & 3' Flexible Tube
- ◆ Accessory Hook, Magnet & 90° Mirror Included
- ◆ Rechargeable Monitor Battery w/ Charger



Wireless Inspection Camera SNK1008IR \$189

Investigator's Guide

So You Want to Be a P. I.?




- ◆ Report Writin & Ruses
- ◆ Where to Locate Info
- ◆ Staying Out of Trouble
- ◆ Recorded Statements
- ◆ Forms to Conduct an Investigation

Investigator's Guide
PIG1000 \$39

Investigator's Book

No PI Should Be Without This Book!



- ◆ Sources for:
Record & Background checks
Sex Offender Checks
Locating People & Financial Info
- ◆ Lawful Sources of Bank Accounts
- ◆ Electronic Eavesdropping
- ◆ Key DOJ Databases

Little Black Book
BBK1000 \$22

IR Illuminators

Use with Most Cameras



ILL0656

- ◆ 656-Foot 10° Long-Range IR
- ◆ 21 Super-High-Output IR LEDs
- ◆ 3 Angle LEDs 10°, 30° & 60°
- ◆ Auto-Switching Photocell
- ◆ Includes Mounting Bracket
- ◆ Power w/ 12VDC @ 2.5A (Max)



ILL1000

- ◆ 32' Range w/70° Beam Spread
- ◆ Photocell Automatically Turns On/Off IR
- ◆ Weatherproof All-Aluminum Housings

656' Weather/Vandalproof Illuminator ILL0656 \$279
32' Outdoor IR Illuminator ILL1000 \$25

Specialty Items

B/W Video Door Phone Observation System

Night Vision Capability Allows for 24 Hr Protection

- ◆ 420 LOR 1/3" B/W CCD
- ◆ 3.6mm 72° @ F2.0 Mini Lens
- ◆ 4-Inch TFT 960 x 234 Monitor
- ◆ Operating Temperature -14°F - 158°F



B/W Video Door Phone System
DPH1002 \$139

Color Video Door Phone System

See and Talk to Anyone Before You Open

- ◆ 420 LOR 1/3" Color CCD
- ◆ 3.6mm 70° @ F2.0 Mini Lens
- ◆ 4-Inch TFT 960 x 234 Monitor
- ◆ Operating Temperature -49°F to 131°F



Color Video Door Phone System
DPH1003 \$279

CALL 830-401-7000 • FAX 830-875-9010

SECURITY CAMERAS
DIRECT

[45]

570 LOR High-Res B/W Camera

SANYO



- ◆ 1/3" CCD Image Sensor w/ 470,000 Elements
- ◆ Horizontal 570 TV Lines of Resolution
- ◆ 0.07 Lux w/ F1.2 lens
- ◆ Backlight Compensation
- ◆ Electronic Iris (indoor use)
- ◆ Internal Sync./Line Lock (manual switching)
- ◆ External sync. (automatic switching)
- ◆ Dual Voltage (24V AC, 60Hz / 12-15V DC)

1/3" CCD High-Res B/W Camera
VCB3384 \$99

520 LOR High-Res DSP Color Camera

SANYO



- ◆ 520 TV Lines of Resolution
- ◆ 1.0 Lux @ F1.2
- ◆ Auto-tracing White Balance
- ◆ Digital Signal Processing
- ◆ Automatic Gain Control (ON/OFF)
- ◆ Backlight Compensation (Center-Zone Photometry System)
- ◆ 1/3" Image Sensor (Approximately 410,000 picture elements)
- ◆ A Uniquely Compact Design (Fits in a 5" Dome)
- ◆ Electronic Iris for Indoor Use w/ Manual or Fixed Lens
- ◆ Internal/Line Lock Synchronizing System
- ◆ Dual Voltage (24V AC or 12V to 15V DC)

1/3" CCD 520 LOR Color Camera
VCC5884EA \$149

500 LOR W/D Mini Dome Camera

SANYO



- ◆ 1/3.3" progressive scan CMOS sensor
- ◆ High resolution of 500 TV lines (WVGA mode)
- ◆ Wide dynamic range function
- ◆ Built-in f=3.0mm lens

1/3" CMOS High-Res W/D MiniDome Camera
VCCW1072 \$109

Name Brand Products



4 & 8 Ch SymSafe Hybrid Recorder



- ◆ real-time video recording
- ◆ up to 480 fps NTSC (400 fps PAL)
- ◆ 2-CIF resolution
- ◆ Analog & IP Network Products
- ◆ MPEG4

SymSafePro8 8 Ch Hybrid Recorder
SYMSAFPRO8PLUS21T \$1699

SymSafePro4 4 Ch Hybrid Recorder
SYMSAFPRO4PLUS2320 \$1619



TruVision H.264 DVR



- ◆ H.264 Storage from 250GB to 1TB
- ◆ Dual-Streaming
- ◆ QCIF, CIF, 2CIF, DCIF, 4CIF Resolutions
- ◆ DDNS for Remote Access
- ◆ Record up to 120 fps NTSC (100 fps PAL)
- ◆ NTSC & PAL Selectable (Menu-Configured)
- ◆ Easy to Install
- ◆ Export Via USB 2.0 or Remote Download

TruVision H.264 DVR
TVR1004250 \$429



MPEG4 DVR w/DVD



- ◆ 8 or 16 Video Inputs
- ◆ 120 Images Per Second Record
- ◆ MPEG4 Video Compression
- ◆ Built-In DVD Drive
- ◆ 4 Audio Inputs
- ◆ Two-Way Audio
- ◆ Composite, Spot & VGA Outputs
- ◆ CIF, 2CIF, D1 Resolutions
- ◆ Browser Access
- ◆ Remote Management Software Included

8Ch MPEG4 DVR 500GB
DXTL8U500 \$1289
16Ch MPEG4 DVR 500GB
DXTL16U500 \$1419



TruVision IR Dome Cameras



TVDTIRMR & TVDTIRHR



TVDTIRSR

- ◆ 20m IR Range
- ◆ 10m IR Range (SR)
- ◆ Power 12VDC Only
- ◆ IP66 Weatherproof Rating
- ◆ Choose from 480 - 530 TVL
- ◆ 3.5 - 8.0mm AI Varifocal Lens
- ◆ 4mm AI Varifocal Lens
- ◆ Use with analog CCTV devices & equipment

TruVision 480 TVL IR Dome Camera
TruVision 530 TVL IR Dome Camera
TruVision 380 TVL IR Dome Camera

TVDTIRMR \$169
TVDTIRHR \$189
TVDTIRSR \$89



TruVision IR Bullet Cameras



TVCBIRMR



TVCBIRHR



TVCBIRSR

- ◆ 25m IR Range (MR)
- ◆ 55m IR Range (HR)
- ◆ 10m IR Range (SR)
- ◆ Dual Voltage 12VDC/24VAC (MR & HR)
- ◆ Dual Voltage 12VDC (SR)
- ◆ IP66 Weatherproof Rating
- ◆ Choose from 480 - 530 TVL
- ◆ 3.5 - 12mm AI Varifocal Lens (MR)
- ◆ 6.0 - 50mm AI Varifocal Lens (HR)
- ◆ 4.3mm Fixed Lens (SR)
- ◆ Use with analog CCTV devices & equipment

TruVision 480 TVL IR Bullet
TruVision 530 TVL IR Bullet
TruVision 380 TVL IR Bullet

TVCBIRMR \$169
TVCBIRHR \$219
TVCBIRSR \$99

[46]

SECURITY CAMERAS
DIRECT

WWW.SCDLINK.COM • 1-800-316-6027

540 LOR Indoor Color Mini Dome Camera

- ◆ 1/4 IT CCD with 380,000 Effective Pixels
- ◆ 3 Axis Rotation for Wide Lens Adjustment:
 - Horizontal: 350°
 - Vertical: ±80°
 - Rotation: ±175°
- ◆ 540 TV Lines of Horizontal Resolution
- ◆ Super LoLux™ :
 - 0.75 Lux (color)
 - 0.4 Lux (B&W)
- ◆ Easy Day/Night Function
- ◆ Easy Focus Adjustment
- ◆ Monitor Video Output (RCA)
- ◆ Automatic Gain Control On/Off (max.26 dB)
- ◆ Auto Tracking White Balance (ATW) & Manual Modes 2,300K to 10,000K
- ◆ Backlight Compensation On/Off
- ◆ Sync Systems INT/Line Lock
- ◆ AC 24V/DC 12V Power Supply

JVC



Indoor Color Mini Dome Camera
TKC215V4U **\$199**

550 LOR Color CCTV Camera

JVC



- ◆ 1/3" High-Res CCD w/ 380,000 Effective Pixels
- ◆ 550 TV Lines of Horizontal Resolution
- ◆ Day/Night Function: Chroma ON/OFF
- ◆ Super LoLux™ Sensitivity:
 - 0.35 Lux in Color Mode
 - 0.25 Lux in B&W Mode
- ◆ Signal-to-Noise Ratio: 50dB (AGC OFF)
- ◆ Revolutionary 10 bit Digital Signal Processor

550 TVL COLOR CCTV CAMERA
TKC920BU **\$159**

540 LOR Color CCTV Camera

JVC



- ◆ 1/3" IT CCD with 380,000 effective pixels
- ◆ 540TV lines of horizontal resolution
- ◆ 0.05 Lux (F1.2,AGC ON,25 IRE, B&W mode)
- ◆ 50 dB(AGC OFF) Signal-to-Noise Ratio
- ◆ Revolutionary 10-bit Digital Signal Processor
- ◆ Support DC / Video iris for C or CS mount lens
- ◆ Built-in AUX terminal
- ◆ Selectable display mode CRT or LCD
- ◆ Various White Balance (2 ATW/AWC/Manual)
- ◆ Sync systems: INT/Line lock

540 TVL COLOR CCTV CAMERA
TKC925U **\$199**

330 LOR Color CCTV Camera

JVC



- ◆ 1/3" IT CCD w/ 250,000 Effective Pixels
- ◆ 330TV Lines of Horizontal Resolution
- ◆ 0.28 Lux
- ◆ Auto White Balance Tracking (ATW)
- ◆ One-Touch Auto White Balance (AWB)
- ◆ Auto White Balance Range 2,300K to 10,000K
- ◆ Automatic Gain Control (Max. 26 dB)
- ◆ S/N Ratio 50 dB (AGC off)
- ◆ Back-Light Compensation
- ◆ Automatic Shutter DC Iris Lens Connection
- ◆ AC 24V power operation

330 TVL COLOR CCTV CAMERA
TKC750U **\$99**

540 LOR Day/Night Color Camera

SANYO



- ◆ Super High 540 TV Lines of Resolution
- ◆ High Sensitivity - 0.25 Lux
- ◆ Built-in Electronic Day/Night Function
- ◆ DC auto iris lens compatible
- ◆ Dual Voltage 24VAC & 12 to 15VDC

1/3" CCD 540 LOR DSP D/N Color Camera
VCC6584DN **\$149**

More Name Brand Products Available at *DIRECT* Pricing!

SONY
computer

Panasonic
SANYO

GE Security

MITSUBISHI ELECTRIC

JVC

TOSHIBA

DEDICATED MICROS

BOSCH

SECURITY CAMERAS
DIRECT

CALL 830-401-7000 • FAX 830-875-9010

[47]

Weatherproof Varifocal Camera

3.5-8mm Varifocal Lens

Color 420 LOR Varifocal
Bullet Camera
CFC6054VF **\$99**



Color 380 LOR ExView Camera

Extra Low 0.01 Lux Without
The Use of Infrared

Color 380 LOR
ExView
CCTV Camera
CPC4014EX **\$179**



IR Vandal Dome Camera

Built-in Alarm Tamper Switch



Color Vandal IR Dome
CDC3010VF **\$199**



Corner Mount Vandal Camera

Great In Elevators & Classrooms



Vandalproof Corner
Mount Camera
CVP1003VF **\$149**



Weatherproof D/N Camera

See up to 60' Away in Total Darkness

D/N Weatherproof
60' IR Camera
CEC6003IR **\$69**
Was **\$169**



550 LOR Satellite IR Camera

View up to 210 Feet
In Pure Darkness!

Color 550 LOR Satellite
IR Camera
CFC6053VF **\$249**
Was **\$379**



Color Mini D/N Camera

Compact Day/Night Camera

Color Mini D/N Camera
CPC4011DN **\$119**



Weatherproof IR IP Camera

See from Any Internet Connection!



Color Weatherproof IR IP Camera
CFC6062IP **\$299**

Industrial D/N Camera

Weatherproof
See-in-the-Dark

IR Color D/N Camera
380 Lines of Resolution
CFC6015IR **\$99**
Was **\$299**



380 LOR License Plate Camera

Low 0.5 Lux

380 LOR License
Plate Camera
CPC4037LP **\$99**



Hot Deals

268X Super Zoom Pro Camera

470 Lines of Resolution Pelco Protocol Zoom Camera

Color D/N 470 LOR
268X Zoom Camera
CPC4034ZM \$239
32' Remote Controller
CNT4034 \$20



ExView™ 550 LOR Camera

0.03 Low Light Lux, 12VDC/24V AC Power

550 LOR
ExView™
Camera
CPC4039EX \$99



3 Cameras & a Quad

All In One!



B/W 3 Camera Dome
CDB3001 \$149

Hot Deals

550 LOR CCTV Color Camera

0.2 Low Light Lux w/ 12/24-Volt Power

550 LOR CCTV Camera
CPC4041 \$99



Mini 3-Axis Vandal Dome

Durability in a Tiny Form
Only 2.1" x 2.7"

420 LOR 3-Axis
Mini Dome
CDC3037ST \$94
Was \$149



Wireless Pan/Tilt Camera

View Objects
15' in Total Darkness

2.4GHz Pan/Tilt
Camera System
WLS2425 \$199



Auto Tracking Day/Night Camera

Perfect for Long Hallways

Color Auto Tracking
Day/Night PIR Camera
PIR1002AT \$109
Was \$299



UPS Varifocal Dome

Internal Backup Battery Power



Emergency
Lighting!

3.5-8mm UPS Dome
2.8-10mm UPS Dome

CDC3049UPS \$175
CDC3050UPS \$179

Hot Deals

Pipe Inspection System

Rugged Waterproof Camera

Color Pipe Inspection System
SNK1007IR \$599



4MP Binocular Camera

1.5" TFT-LCD Screen, Store up to 32 Pictures

Great Gift
Idea!

Binocular Camera
BNO1001 \$109
Was \$189



4Ch Mobile DVR w/Audio

Now w/GPS Overlay!

4Ch Mobile
DVR w/Audio
DVR4020MB
\$249



Micro Real-Time DVR w/Camera

*Record & Shoot
All-in-One Package*

High-Resolution
DVR Package
MPE1016 **\$249**
Was **\$599**



Mini DVR w/LCD Screen

Discrete and Easy-To-Use

Mini DVR w/LCD
MPE1015 **\$149**
Was **\$499**



Handheld DVR

*Record & Store up to
40 Min of Video*

Pocket SD DVR
MPE1004SD **\$99**
Was **\$199**



Weatherproof Solar Power Supply

*Power for Your
Remote Cameras*

150mA Solar Power Supply
SPR0150 **\$249**
Was **\$399**



12 VDC Mobile 4 CH DVR

With GPS Overlay!



4 Ch Mobile DVR
4 Ch Mobile DVR with Audio
Shockproof Bracket

DVR4001MB **\$229**
DVR4001MA **\$249**
CBR4023GPS **\$39**

Hot Deals

Color 24-Volt AC Camera

480 Lines of Resolution

24-Volt AC
Camera
CPC4004AC **\$99**



480 LOR Autofocal Camera

220 Zoom!

Color 480 LOR
Zoom Camera
CPC4032ZM **\$279**



Color IR D/N Weatherproof 25mm Camera

70' Night Time illumination

Color IR Weatherproof
25mm Camera
CFC2105IR **\$119**



Miniature Camera Panner

Pans 350° at 5° per Second

Mini Camera Panner
ISC1102 **\$38**
24VAC Power Supply
PWR2420 **\$7**



Color 480 LOR IR Professional Camera

Adjustable Light Sensor

480 LOR IR
Professional
Camera

CPC4016IR2 **\$159**



480TVL Wide Dynamic Camera

Low 0.9 Lux Low Light Ability

480TVL Wide
Dynamic Camera
CPC4049WD **\$169**



B/W 12VDC 600 LOR Camera

Auto Electric Shutter

480TVL Wide
Dynamic Camera
CPB4011EX **\$109**



Tiny Covert Screw Head & Button Cameras

1/2" Camera Head!



Color Covert Screw Cam
CVC1034HW **\$39**
Color Wireless Screw Cam
CVC1034 **\$99**
Color Covert Button Cam
CVC1035HW **\$39**
Color Wireless Button Cam
CVC1035 **\$99**



Hot Deals

Color IR D/N Weatherproof 400 LOR Camera

70' Night Time illumination

Color IR Weatherproof
400 LOR Camera
CFC2104IR **\$99**



Wireless 2.4 GHz Camera

450' Wireless Part-15 FCC-Approved



2.4GHz 450'
Camera System
WLS2408C **\$69**

Hot Deals

Dual Codec MPEG4 & H.264 520 LOR Wi-Fi IP Camera

With SD Card



Dual Codec MPEG4 &
H.364 Camera
CPC4059WL **\$249**

Wireless Sunglass Camera & DVR Combo

2 Cameras Built-in

2 Camera Covert
Sunglass w/ Pocket DVR
CVC1069DVR **\$269**



Weatherproof D/N Camera

Sony ExView 1/3" CCD

Color Weatherproof
D/N Camera
CFC2007EX **\$119**



Counterfeit Bill Detector

*Check Your Deposits
In Advance*

Handheld
Counterfeit Bill Detector
BIL1000 **\$9**






#1 SECURITY CAMERAS DIRECT WAY
LULING TEXAS 78648

PRSR STD
U.S. POSTAGE

PAID
SECURITY
CAMERAS
DIRECT



1.800.316.6027
WWW.SCDLINK.COM

High Quality & Great Value


420 LOR Weatherproof IR Camera

Removable Weather Shield

CFC2016IR

420 LOR

3.6mm Lens



\$89

**H.264 Networkable
4 Channel DVR**

Increase Recording Time

\$279

DVR4060N

**Real Time Recording
USB Offload
VGA & BNC Output**

